

Energy

F-O-S-S-I-L

136163

DE84-004411



DOE/PC/30022-10
(DE84004411)

**SLURRY FISCHER-TROPSCH/MOBIL TWO STAGE PROCESS
OF CONVERTING SYNGAS TO HIGH OCTANE GASOLINE**

Final Report

**By
J. C. W. Kuo**

**June 1983
Date Published**

Work Performed Under Contract No. AC22-80PC30022

**Mobil Research and Development Corporation
Paulsboro, New Jersey**

REPRODUCED BY
**NATIONAL TECHNICAL
INFORMATION SERVICE**
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

**Technical Information Center
Office of Scientific and Technical Information
United States Department of Energy**

2
3
A1

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This report has been reproduced directly from the best available copy.

Available from the National Technical Information Service, U. S. Department of Commerce, Springfield, Virginia 22161.

Price: Printed Copy A14
Microfiche A01

Codes are used for pricing all publications. The code is determined by the number of pages in the publication. Information pertaining to the pricing codes can be found in the current issues of the following publications, which are generally available in most libraries: *Energy Research Abstracts (ERA)*; *Government Reports Announcements and Index (GRA and I)*; *Scientific and Technical Abstract Reports (STAR)*; and publication NTIS-PR-360 available from NTIS at the above address.

DOE/PC/30022-10
(DE84004411)

Distribution Category UC-90d

SLURRY FISCHER-TROPSCH/MOBIL TWO STAGE PROCESS
OF CONVERTING SYNGAS TO HIGH OCTANE GASOLINE

FINAL REPORT

REPORT PREPARED BY: J. C. W. KUO

CONTRIBUTORS:

S. K. ADITYA	T. M. LEIB
P. M. BERGQUIST	M. G. MELCONIAN
A. J. DI MATTIO	T. MOLINA
F. P. DI SANZO	M. SCHREINER
E. DI TERESI	J. SMITH
L. A. GREEN	J. A. TAYLOR
K. M. GUPTE	J. P. WARNER
A. K. JAGOTA	W. K. WONG
C. P. KYAN	

MOBIL RESEARCH AND DEVELOPMENT CORPORATION
PAULSBORO, NEW JERSEY 08066

DATE PUBLISHED - JUNE 1983

PREPARED FOR THE UNITED STATES
DEPARTMENT OF ENERGY
UNDER CONTRACT NO. DE-AC22-80PC30022

TABLE OF CONTENTS

	<u>Page</u>
Abstract	1
I. Objective and Scope of Work	2
II. Summary	3
III. Introduction	6
IV. Design of Two-Stage Bench-Scale Pilot Plant	8
A. Simplified Flow Diagram and Design Basis	8
B. Engineering Flow, and Piping and Instrumentation Diagrams	8
C. Detailed Engineering Design	13
V. Construction, Shakedown and Modification of Two-Stage Bench-Scale Pilot Plant	19
A. Unit Construction	19
B. Shakedown Operation	23
C. Unit Modifications	25
VI. Operation of Two-Stage Bench-Scale Pilot Plant; Experimental Results & Discussions	29
A. Introduction	29
B. Run CT-256-1	30
C. Run CT-256-2	52
D. Run CT-256-3	64
E. Run CT-256-4	87
F. Run CT-256-5	102
G. Slurry Reactor Hydrodynamic Studies	110
VII. Fischer-Tropsch Bubble-Column Reactor Mathematical Models and Their Applications	116
A. Introduction	116
B. Transport Phenomena in Slurry Fischer-Tropsch Reactors	116
C. Bubble-Column Mathematical Models	120

	<u>Page</u>
D. Applications	130
E. Comparison of Slurry Fischer-Tropsch Model Predictions and Experimental Data	162
VIII. Hydrodynamic Studies Using Non-Reacting Bubble-Columns	169
A. Introduction	169
B. Hot Bubble-Column Studies	170
C. Effect of Solid Concentration in Slurry	173
D. Effect of Temperature	173
E. Effect of Static Liquid Height and Column Diameter	177
IX. Analytical Procedures and Supporting Tests	182
A. Introduction	182
B. Carbon Monoxide, Hydrogen, and Combined Feed-Gas	182
C. First-Stage Fischer-Tropsch Products	182
D. Second-Stage ZSM-5 Products	193
X. Characterization of Gasoline Product	194
A. Raw Gasoline Characterization Tests	194
B. Raw Gasoline Product Stability Tests	196
XI. Conceptual Process Design and Scoping Cost Estimate	200
A. Introduction	200
B. Scope of Study	200
C. Conceptual Process Design	201
D. Plant Description	207
E. Operating Requirements	214
F. Scoping Cost Estimate	217
XII. Recommendations for Further Studies	219
XIII. Nomenclature	222
XIV. References	228
Appendix A, Drawings for Two-Stage Bench-Scale Pilot Plant	

- Appendix B, Summary of Data from
Run CT-256-1
- Appendix C, Summary of Data from
Run CT-256-2
- Appendix D, Summary of Data from
Run CT-256-3
- Appendix E, Summary of Data from
Run CT-256-4
- Appendix F, Summary of Data from
Run CT-256-5
- Appendix G, Conceptual Process Flow
Diagrams

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1	Design Basis of the Two-Stage Synthesis Gas Conversion Bench-Scale Unit	10
2	List of Fabrication Drawings	14
3	Major Events in Run CT-256-1 (Excluding Reactor-Wax and Slurry Inventory)	31
4	Major Events in Run CT-256-1 (Reactor-Wax and Slurry Inventory)	32
5	Ranges of Process Variables Studied in Run CT-256-1	33
6	Ranges of Operation Results (Run CT-256-1)	34
7	Effect of Temperature on Slurry F-T Reactor Performance (Run CT-256-1)	42
8	Effect of Pressure on Slurry F-T Reactor Performance (Run CT-256-1)	43
9	Effect of Superficial Feed-Gas Velocity on Slurry F-T Reactor Performance (Run CT-256-1)	45
10	Effect of Feed H ₂ /CO Ratio on Slurry F-T Reactor Performance (Run CT-256-1)	46
11	Major Events in Run CT-256-2 (Excluding Reactor-Wax and Slurry Inventory)	53
12	Major Events in Run CT-256-2 (Reactor-Wax and Slurry Inventory)	54
13	Ranges of Operation Results (Run CT-256-2)	55
14	Effect of Pressure on Slurry F-T Reactor Performance (Run CT-256-2)	61
15	Major Events in Run CT-256-3 (Excluding Reactor-Wax and Slurry Inventory)	66

<u>Table</u>		<u>Page</u>
16	Ranges of Operation Results (Run CT-256-3)	67
17	Effect of Superficial Feed-Gas Velocity on Slurry Fischer-Tropsch Reactor Performance (Run CT-256-3)	81
18	Effect of Pressure on Slurry Fischer-Tropsch Reactor Performance (Run CT-256-3)	84
19	Effect of Pressure on Oxygenates Yield from First-Stage Fischer-Tropsch Reactor (Run CT-256-3)	85
20	Major Events in Run CT-256-4	90
21	Ranges of Process Variables and Operating Results (Run CT-256-4)	91
22	Results of Fischer-Tropsch Catalyst Slurry Settling Study	100
23	Major Events in Run CT-256-5	103
24	Ranges of Process Variables and Operating Results (CT-256-5)	104
25	Summary of Estimated Gas Holdup from DP-Cell Data (Run CT-256-3)	112
26	Parameters Used in Single-Component F-T Slurry Reactor Mathematical Model Calculations	119
27	Correlations Used in F-T Slurry Reactor Mathematical Model Calculations	125
28	Correlations for Solubility and Diffusivity	129
29	Selected F-T Conversion Data in Bubble-Column Reactors	131
30	Estimated F-T Kinetic Constant on Fe-Catalysts (Non-Mixing Liquid Phase Single-Component Model)	132

<u>Table</u>	<u>Page</u>	
31	Estimated Kinetic Rate Constants Using Different Liquid-Phase Mixing Single-Component Models	134
32	Parameters and Their Ranges Adopted in Single-Component F-T Reactor Mathematical Model Calculations	142
33	Variation of Parameters that Results in an Increase of the Calculated Effect of the Liquid-Phase Axial Mixing on the F-T Bubble-Column Performance	149
34	Bench-Scale Bubble-Column Data for Estimating Kinetics of a Precipitated Fe-Catalyst	154
35	Parameters and Their Ranges Adopted in Multi-Component F-T Model Calculations	155
36	Comparison of Multi-Component Slurry F-T Model Predictions and BSU Bubble-Column Data	167
37	Effect of Solid Concentration on Gas Holdup	175
38	Cold Column Gas Holdup Data Using n-Hexadecane (3.2 cm ID Column)	179
39	Cold Column Gas Holdup Data Using n-Hexadecane (5.1 cm ID Column)	180
40	Identities of Major Aqueous Phase Oxygenates	186
41	Raw Gasoline Short-Term Stability Tests	197
42	First-Stage Slurry F-T Reactor Yields	203
43	Second-Stage ZSM-5 Reactor Yields	204
44	Slurry Fischer-Tropsch/ZSM-5 Process - Reactor Section Material Balance	208

<u>Table</u>		<u>Page</u>
45	Slurry Fischer-Tropsch/ZSM-5 Process - Product Recovery Section Material Balance	209
46	List of Major Equipment - Reactor Section	215
47	List of Major Equipment - Product Recovery Section	216

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1	Simplified Flow Diagram of Two-Stage Pilot Plant for Synthesis Gas Conversion	9
2	Schematic Arrangement of DP-Cell for Liquid Level Measurement	17
3	A North-West View of the Pilot Plant	20
4	A View of Two Fixed-Bed Reactors (Top) and Three Sections - 1, 3, and 4 (Bottom Half)	21
5	A View of Gas-Feed Section at Left, Product Recovery Section in the Middle, and Distillation Section at Right	22
6	Schematic of the External Wax Filter Assembly	27
7	Run CT-256-1, Pretreatment of F-T Catalyst I-A	38
8	Synthesis Gas Conversion and Methane + Ethane Yield (Run CT-256-1)	39
9	Schulz-Flory Distributions for First-Stage F-T Products (Run CT-256-1)	49
10	Second-Stage Fixed-Bed ZSM-5 Reactor Temperature Profiles (Run CT-256-1)	50
11	Run CT-256-2 Fischer-Tropsch Catalyst Pretreatment (Catalyst I-B)	58
12	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-256-2)	59
13	Distributor Plate and Bottom Flange Gasket of the Slurry Reactor After the Unit Upset (Run CT-256-2)	63
14	Product Yield Versus Second-Stage Operating Severity (Run CT-256-2)	65
15	Run CT-256-3 Fischer-Tropsch Catalyst Pretreatment (Catalyst I-B)	71

<u>Figure</u>		<u>Page</u>
16	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-256-3)	72
17	Reactor-Wax Carbon-Number Distribution (Run CT-256-3)	75
18	Effect of Reactor Pressure on Reactor-Wax Carbon-Number Distribution (Run CT-256-3)	76
19	Cumulative Reactor-Wax Production from First-Stage Fischer-Tropsch Reactor (Run CT-256-3)	77
20	Reactor-Wax Yield (Run CT-256-3)	78
21	Schulz-Flory Distribution for First-Stage Fischer-Tropsch Products (Run CT-256-3)	79
22	Exit H ₂ /CO Ratio of First-Stage Slurry Fischer-Tropsch Reactor (Run CT-256-3)	82
23	Second-Stage Fixed-Bed ZSM-5 Reactor Inlet and Outlet Temperatures (Run CT-256-3)	86
24	Product Yields Versus Second-Stage Operating Severity (Run CT-256-3)	88
25	Second-Stage Raw Liquid Hydrocarbon Properties (Run CT-256-3)	89
26	Run CT-256-4 Fischer-Tropsch Catalyst Pretreatment (Catalyst I-B)	94
27	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-256-4)	95
28	Cumulative Reactor-Wax Production from First-Stage Fischer-Tropsch Reactor (Run CT-256-4)	96
29	Schematic of a Catalyst Settling Vessel for Fischer-Tropsch Reactor-Wax Removal	99
30	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-256-5)	106
31	Cumulative Reactor-Wax Production from First-Stage Fischer-Tropsch Reactor (Run CT-256-5)	107

<u>Figure</u>		<u>Page</u>
32	Reactor-Wax Yield versus Methane Yield	109
33	Slurry Fischer-Tropsch Bubble-Column Gas Holdup Profiles (Run CT-256-3)	114
34	Slurry Fischer-Tropsch Bubble-Column Catalyst Concentration Profiles	115
35	Mass-Transfer Resistances in a Gas- Liquid-Solid System	118
36	Effect of Number of Collocation Points on the Predicted F-T Bubble-Column Performance (Base Case)	128
37	Effect of Kinetic Rate and Liquid-Phase Mixing on H ₂ Conversion	136
38	Effect of Molar Contraction During Reaction on H ₂ Conversion	138
39	Effect of Bubble Size on H ₂ Conversion	139
40	Effect of Hydrodynamic Parameters on H ₂ Conversion	140
41	Effect of Axial Catalyst Distribution on BSU F-T Reactor Performance	144
42	Effect of Catalyst Loading and Gas Velocity on BSU F-T Reactor Performance	146
43	Effect of Axial Liquid Mixing on BSU F-T Reactor Performance	150
44	Effect of Axial Liquid Mixing on Large- Scale F-T Reactor Performance	152
45	Comparison of Multi-Component F-T Bubble Column Mathematical Model with Single- Component Model	157
46	Predicted Axial Concentration Profiles in F-T Bubble-Column (Conditions of Table 34)	159
47	Predicted Reaction Rates (Conditions of Table 34)	160

<u>Figure</u>		<u>Page</u>
48	Predicted H ₂ /CO Ratio (Conditions of Table 34)	161
49	Predicted Effect of Gas Superficial Velocity on H ₂ +CO Conversion	163
50	Predicted Effect of Fe-Catalyst Loading on H ₂ +CO Conversion	164
51	Predicted Effect of Feed H ₂ /CO Ratio on H ₂ +CO Conversion	165
52	Predicted Effect of Feed H ₂ /CO Ratio on H ₂ /CO Ratio in Gas Phase	166
53	Hot, Non-Reacting Bubble-Column Gas Holdup	171
54	Effect of Solid Concentration on Gas Holdup	174
55	Effect of Temperature on Gas Holdup	176
56	Effect of Static Liquid Height on Gas Holdup	178
57	Analytical Scheme of Fischer-Tropsch Products	183
58	GC Plot of Typical Combined Gas Samples	184
59	Analytical Scheme of Fischer-Tropsch Oxygenates	185
60	Gas Chromatogram of C ₆ + Organic Phase Alcohols and Acids	187
61	Gas Chromatogram of C ₅ + Organic Phase Ketones and Esters	188
62	Typical Gas Chromatogram of Total Liquid Hydrocarbon Phase	190
63	Typical Chromatogram of C ₁₁ - From Liquid Hydrocarbon Phase	191
64	Gas Chromatogram of a Heavy Reactor-Wax	192