

ENERGY CONSERVATION IN COAL CONVERSION

Selected Case Studies and Conservation Methodologies

Final Report for September 15, 1977—September 1, 1978

By  
J. C. Purcupile

September 1978

Work Performed Under Contract No. EY-77-5-02-4196

Carnegie—Mellon University  
Pittsburgh, Pennsylvania

U. S. DEPARTMENT OF ENERGY



FOUNDED  
1977  
AZURE  
MGM

## NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

This report has been reproduced directly from the best available copy.

Available from the National Technical Information Service, U. S. Department of Commerce, Springfield, Virginia 22161.

ENERGY CONSERVATION IN COAL CONVERSION  
FINAL REPORT

September 15, 1977 - September 1, 1978

Selected Case Studies and Conservation  
Methodologies

Principle Investigator:

J. C. Purcupile

Carnegie-Mellon University  
Pittsburgh, PA 15213

September, 1978

Prepared for

THE U.S. DEPARTMENT OF ENERGY  
Pittsburgh Energy Technology Center  
UNDER CONTRACT NO. EY77S024196

ACKNOWLEDGEMENT

We would like to thank Bill Peters and Tom Ruppel of the Pittsburgh Energy Technology Center and T. S. Govindan of the DuPont Company for their interest and assistance in preparing these reports.

NOTICE

THIS DOCUMENT HAS BEEN REPRODUCED FROM THE BEST COPY FURNISHED US BY THE SPONSORING AGENCY. ALTHOUGH IT IS RECOGNIZED THAT CERTAIN PORTIONS ARE ILLEGIBLE, IT IS BEING RELEASED IN THE INTEREST OF MAKING AVAILABLE AS MUCH INFORMATION AS POSSIBLE.

TABLE OF CONTENTS

	<u>Page</u>
Executive Summary . . . . .	4
Oil/Gas Plant Description . . . . .	10
I Coal Conversion Process Selection . . . . .	I-1
II Method for Computing the Optimum Economic Pipe Diameter for Newtonian Fluids . . . . .	II-1
III Energy Conservation Potential in Heat Recovery Techniques - A Case Study . . . . .	III-1
IV Alternate De-Ethanizer Refrigeration System to Conserve Energy . . . . .	IV-1
V Feasibility Study of a Combined Combustion Gasification Facility . . . . .	V-1
VI High Pressure Steam Generation from Heat Recovery Boilers . . . . .	VI-1
VII Combined Cycle In-Plant Electrical Power Generation . . . . .	VII-1
VIII Direct Coal Fired Steam Generation in Lieu of Low Btu Gas . . . . .	VIII-1
IX Alternate Acid Gas Removal Study . . . . .	IX-1
X The Thermodynamic Performance of Two Combined Cycle Power Plant Integrated with Two Coal Gasification Systems . . . . .	X-1
XI Energy Conservation Potential in Shaft Power Generation and Distribution . . . . .	XI-1
XII Basis for Fuel and Utility Costs. . . . .	XII-1
XIII Using Second Law Analysis to Pinpoint Inefficiencies in Coal Conversion Processes . . . . .	XIII-1

LIST OF FIGURES

Figure 1 Overall Material Balance . . . . .	12
Figure 2 Energy Balance . . . . .	13