



DE92015430


NTIS

One Source. One Search. One Solution.

**PROBE MOLECULE STUDIES: ACTIVE SPECIES IN
ALCOHOL SYNTHESIS. SIXTH QUARTERLY REPORT,
JANUARY 1992--MARCH 1992**

**PITTSBURGH UNIV., PA. DEPT. OF CHEMICAL
AND PETROLEUM ENGINEERING**


APR 1992



U.S. Department of Commerce
National Technical Information Service


One Source. One Search. One Solution.

NTIS



Providing Permanent, Easy Access to U.S. Government Information

National Technical Information Service is the nation's largest repository and disseminator of government-initiated scientific, technical, engineering, and related business information. The NTIS collection includes almost 3,000,000 information products in a variety of formats: electronic download, online access, CD-ROM, magnetic tape, diskette, multimedia, microfiche and paper.



Search the NTIS Database from 1990 forward

NTIS has upgraded its bibliographic database system and has made all entries since 1990 searchable on www.ntis.gov. You now have access to information on more than 600,000 government research information products from this web site.

Link to Full Text Documents at Government Web Sites

Because many Government agencies have their most recent reports available on their own web site, we have added links directly to these reports. When available, you will see a link on the right side of the bibliographic screen.

Download Publications (1997 - Present)

NTIS can now provides the full text of reports as downloadable PDF files. This means that when an agency stops maintaining a report on the web, NTIS will offer a downloadable version. There is a nominal fee for each download for most publications.

For more information visit our website:

www.ntis.gov



U.S. DEPARTMENT OF COMMERCE
Technology Administration
National Technical Information Service
Springfield, VA 22161

DOE/PC/90305-T6

DOE QUARTERLY REPORT, No. 6, January 1992 - March 1992

DOE/PC/90305--T6

DE92 015430

**PROBE MOLECULE STUDIES:
ACTIVE SPECIES IN ALCOHOL SYNTHESIS**

6th Quarterly Report
January 1992 - March 1992

Donna G. Blackmond (PI)
Irving Wender (Co-PI)

Department of Chemical and Petroleum Engineering
University of Pittsburgh
Pittsburgh, PA 15261

April 1992

Prepared for the U.S. Department of Energy
under Grant No. DE-FG22-90PC-90305

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

TABLE OF CONTENT

1. OBJECTIVE AND SCOPE OF WORK	1
2. SUMMARY OF PROGRESS	1
3. DETAILED DESCRIPTION OF TECHNICAL PROGRESS	2
(A) Catalyst Preparation	2
(B) Activity and Selectivity Tests	2
(C) Effects of CH_3NO_2 Addition	3
4. PLANS FOR NEXT REPORTING PERIOD	4
5. REFERENCES	5
Figure 1.	6
Figure 2.	7
Figure 3.	8
Figure 4.	9

1. OBJECTIVE AND SCOPE OF WORK

The goal of this research is to develop a better understanding of the mechanisms of formation of alcohols and other oxygenates from syngas over supported catalysts. Probe molecules will be added in situ during the reaction to help delineate reaction pathways and identify reaction intermediate species. The key of our study is to investigate how the species generated by these probe molecules interact with surface species present during oxygenate formation.

A reaction and analysis system capable of carrying out the experiments for this study was set up, modified, and tested^[1].

CO hydrogenation reactions are being carried out in both the presence and the absence of the probe molecule under conditions which favor the formation of oxygenated products. Nitromethane, acetylenic compounds, alcohols are possible choices as probe molecules for this study. The effectiveness of these probe molecules for the study of mechanisms of alcohol synthesis has to be determined experimentally based on different catalyst systems and reaction conditions.

One of the catalysts chosen for this investigation is Co/Cu/ZnO/Al₂O₃. Detailed motivations for studying this system as well as using CH₃NO₂ as the probe molecule were given in the previous report^[2].

2. SUMMARY OF PROGRESS

(A) A Co(1 wt%)/Cu/ZnO/Al₂O₃ catalyst has been prepared by incipient wetness impregnation of the commercial Cu/ZnO/Al₂O₃ with cobalt nitrate.

(B) Activity and selectivity of this catalyst for CO hydrogenation were tested under different reaction conditions. Conditions under which reasonable amount of ethanol can be produced with relatively low hydrocarbon formation were chosen for the study of probe molecule addition.

(C) The effect of CH₃NO₂ addition to H₂/CO (2:1) over Co/Cu/ZnO/Al₂O₃ was investigated.

3. DETAILED DESCRIPTION OF TECHNICAL PROGRESS

(A) Catalyst Preparation

5 g Cu/ZnO/Al₂O₃⁽¹⁾ was impregnated with 4.3 ml of 2.8709 g Co(NO₃)₂·6H₂O desolved in 50 ml H₂O by incipient wetness technique to obtain a Co(1 wt%)/Cu/ZnO/Al₂O₃ catalyst. The impregnated sample was dried at 90 °C overnight in air. Then, it was reduced in flowing H₂ (80 cc/min) at 300 °C for 8 hr. The temperature was ramped from 25 °C to 300 °C at 0.5 °C/min. The catalyst was then passivated at 35 °C with 2% O₂ in He for ~2 hr.

(B) Activity and Selectivity Tests

About 1 g of the Co/Cu/ZnO/Al₂O₃ catalyst was loaded in

the reactor for activity and selectivity tests. Before reaction, a re-reduction was performed in the reactor with about 5 % H₂ in He (~80 cc/min) at 1 atm and 300 °C for 8 hr before cooling to the reaction temperature, 250 °C.

The CO hydrogenation reaction was first carried out at 300 psi with H₂/CO/CO₂ (80+40+6 cc/min) reactant mixture at 250, 270, 290, 310, 330, and 350 °C. The product distribution in terms of C (CO+CO₂) conversion (%) is shown in Figure 1. Significant amount of ethanol was produced in this temperature range. As temperature increased, more propanol and dimethylether were formed but C₁-C₆ linear hydrocarbons increased significantly. To study the effects of CH₃NO₂ addition on oxygenates formation the following conditions were chosen:

400 psi, 290 °C, H₂/CO ratio of 2 with or without CO₂.

(C) Effects of CH₃NO₂ Addition

The effects of CH₃NO₂ addition to the steady state of CO hydrogenation reaction were investigated at 290 °C and 400 psi with, first, H₂/CO/CO₂ (80+40+6 cc/min), then, H₂/CO/He (80+40+6 cc/min). The effect of CH₃NO₂ addition on the distribution of the major products, e.g. CH₃OH, C₂H₅OH, (CH₃)₂O, CH₄ and C₂H₆, is shown in Figure 2. CH₃OH and (CH₃)₂O were significantly suppressed upon CH₃NO₂ addition but not C₂H₅OH. CH₄ increased with the addition of CH₃NO₂ but not C₂+ hydrocarbons. As shown in Figure 3, CH₃NO₂ added to the reaction was completely converted to (CH₃)₃N over Co/Cu/ZnO/Al₂O₃. Results from repeating the same reaction showed that

addition of CH_3NO_2 does not poison the catalyst under the selected conditions. $(\text{CH}_3)_3\text{N}$ leaves the surface completely in about an hour (see Figure 4).

The selective interaction of CH_3NO_2 with the CO hydrogenation products raises intriguing questions about the dynamic surface, for example,

- How is CH_3NO_2 converted into $(\text{CH}_3)_3\text{N}$? Which intermediate or surface species in the CO hydrogenation is involved in the $(\text{CH}_3)_3\text{N}$ formation?

- Why does the conversion of CH_3NO_2 to $(\text{CH}_3)_3\text{N}$ only suppress CH_3OH and $(\text{CH}_3)_2\text{O}$ significantly but not C_2+ alcohols? Does $\text{C}_2\text{H}_5\text{OH}$ as well as $\text{C}_3\text{H}_7\text{OH}$ formation involve the same intermediate as CH_3OH and $(\text{CH}_3)_2\text{O}$ formation?

- Why does conversion to CH_4 increase upon CH_3NO_2 addition? Is it caused by breaking of the C-N bond in CH_3NO_2 ?

Answers to these questions could be very helpful in distinguishing which intermediate(s) is (are) involved in the various reaction pathways.

4. PLANS FOR THE NEXT REPORTING PERIOD

Further experiments with both $\text{Co/Cu/ZnO/Al}_2\text{O}_3$ and $\text{Cu/ZnO/Al}_2\text{O}_3$ catalysts have been designed for the next reporting period in order to answer some of the questions raised in the previous section.

REFERENCES

- [1] DOE Quarterly Report, No.1&3, 1991, undr Grant No. DE-FG22-90PC-90305.
- [2] DOE Quarterly Report, No.5, 1991, undr Grant No. DE-FG22-90PC-90305.
- [3] DOE Quarterly Report, No.4, 1991, undr Grant No. DE-FG22-90PC-90305.




Figure 1. Carbon conversion from H₂/CO/CO₂ (80+40+6 cc/min) to CH₃OH, C₂H₅OH, 1-C₃H₇OH, (CH₃)₂O, and C₁-C₆ linear paraffins over 1 g Co/Cu/ZnO/Al₂O₃ under 400 psi at temperatures ranging from 250-350 °C.




Figure 2. Effect of CH_3NO_2 addition on carbon conversion to CH_3OH , $\text{C}_2\text{H}_5\text{OH}$, $(\text{CH}_3)_2\text{O}$, CH_4 and C_2H_6 over 1 g Co/Cu/ZnO/Al₂O₃ at 400 psi, 290 °C, from H₂/CO/CO₂ (80+40+6 cc/min) and H₂/CO/He (80+40+6 cc/min) mixtures.




Figure 3. Nitrogen balance in the conversion of CH_3NO_2 into $(CH_3)_3N$ over 1 g Co/Cu/ZnO/Al₂O₃ at 400 psi, 290 °C, and $F(H_2+CO) = 80+40$ cc/min.




Figure 4. Transiant Response of (CH₃)₃N formation (by recording m/z=59 on an on-line Dycor Mass Spectrometer) upon CH₃NO₂ addition to H₂/CO (80+40 cc/min) over Co/Cu/ZnO/Al₂O₃ at 290 °C, 400 psi.

SATISFACTION GUARANTEED

NTIS strives to provide quality products, reliable service, and fast delivery. Please contact us for a replacement within 30 days if the item you receive is defective or if we have made an error in filling your order.

▲ **E-mail: info@ntis.gov**

▲ **Phone: 1-888-584-8332 or (703)605-6050**

Reproduced by NTIS

National Technical Information Service
Springfield, VA 22161

This report was printed specifically for your order from nearly 3 million titles available in our collection.

For economy and efficiency, NTIS does not maintain stock of its vast collection of technical reports. Rather, most documents are custom reproduced for each order. Documents that are not in electronic format are reproduced from master archival copies and are the best possible reproductions available.

Occasionally, older master materials may reproduce portions of documents that are not fully legible. If you have questions concerning this document or any order you have placed with NTIS, please call our Customer Service Department at (703) 605-6050.

About NTIS

NTIS collects scientific, technical, engineering, and related business information – then organizes, maintains, and disseminates that information in a variety of formats – including electronic download, online access, CD-ROM, magnetic tape, diskette, multimedia, microfiche and paper.

The NTIS collection of nearly 3 million titles includes reports describing research conducted or sponsored by federal agencies and their contractors; statistical and business information; U.S. military publications; multimedia training products; computer software and electronic databases developed by federal agencies; and technical reports prepared by research organizations worldwide.

For more information about NTIS, visit our Web site at <http://www.ntis.gov>.

The logo for NTIS, consisting of the letters "NTIS" in a bold, sans-serif font. The letter "i" is lowercase and has a dot above it.

**Ensuring Permanent, Easy Access to
U.S. Government Information Assets**



U.S. DEPARTMENT OF COMMERCE
Technology Administration
National Technical Information Service
Springfield, VA 22161 (703) 605-6000
