

ORGANIC SULFUR IN SYNTHESIS GAS: OCCURRENCE,
DETERMINATION, AND REMOVAL

by

A. E. Sands,^{1/} H. W. Wainwright,^{2/} and G. C. Egleson^{2/}

CONTENTS

	Page
Introduction.....	1
Summary and conclusions.....	1
Acknowledgments.....	3
Occurrence of organic sulfur.....	4
Organic sulfur contents of gas produced.....	5
Determination of organic sulfur.....	7
Combustion methods.....	7
Referees' method.....	7
I. G. T. burner.....	9
Rogers and Baldaste method.....	9
Turbidimetric determination of sulfate.....	10
Spectrophotometric determination of barium sulfate.....	13
Miscellaneous methods for determining sulfate...	14
Catalytic conversion to hydrogen sulfide.....	15
Method of Field and Oldach.....	15
Platinum-spiral method.....	15
Removal of organic sulfur.....	18
Catalytic removal studies at Morgantown.....	19
Methods and apparatus.....	19
Conversion of organic sulfur in the presence of hydrogen sulfide.....	22
Cobalt molybdate catalyst; platinized-alumina catalyst.....	24
Simultaneous removal of organic sulfur and hydrogen sulfide (Huff catalysts).....	25
Preparation of catalysts.....	25
Simultaneous removal of hydrogen sulfide and organic sulfur by nickel catalysts.....	39
Alkalized iron for removing organic sulfur.....	39
Removal of organic sulfur by activated carbon...	40
Removal of thiophene by activated carbon.....	40
Removal of carbonyl sulfide by activated carbon.	42
Morgantown gas-purification pilot plant.....	50

- ^{1/} Assistant chief, Synthesis Gas Production Branch, Office of Synthetic Liquid Fuels, Bureau of Mines, Morgantown, W. Va.
^{2/} Chemical engineer, Synthesis Gas Production Branch, Office of Synthetic Liquid Fuels, Bureau of Mines, Morgantown, W. Va.

TABLES

	<u>Page</u>
1. Sulfur in gas from 50-lb. gasifier.....	5
2. Sulfur in gas from coal-lime runs (50-lb. gasifier)..	6
3. Sulfur in gas from 500-lb. gasifier.....	6
4. Comparison of I. G. T.-burner and modified referees' methods.....	9
5. Comparison of I. G. T.-burner and platinum-spiral methods.....	14
6. Results of first experiment.....	23
7. Tests with cobalt molybdate and platinized-alumina catalysts.....	26
8. Run 1.....	27
9. Other preliminary runs.....	29
10. Data for three catalysts prepared by different methods.....	30
11. Removal of SO ₂ from gas with a sulfided Cu-Cr-V catalyst.....	36
12. Effect of catalyst temperature on removal of hydrogen sulfide and organic sulfur by Cu-Cr-V catalyst.....	36
13. Hourly data for runs 10 and 31.....	37
14. Removal of thiophene with activated carbon.....	41
15. Removal of carbonyl sulfide by activated carbon.....	44
16. Data from tests of SA carbon.....	45
17. Tests at varying concentrations of CO ₂	46
18. Additional tests of BP and SA carbons.....	46
19. Tests comparing carbons BP and SA.....	47
20. Results of tests on carbon GW.....	48

ILLUSTRATIONS

<u>Fig.</u>		<u>Follows page</u>
1.	I. G. T. apparatus for determining organic sulfur in gas.....	8
2.	Turbidimeter calibration, 100-mm. cell, no filter.....	10
3.	Turbidimeter calibration, 100-mm. cell, light filter.....	10
4.	Turbidimeter calibration, 100-mm. cell, dark filter.....	10
5.	Calibration curve; turbidimetric determination of sulfate, using spectrophotometer.....	12
6.	Platinum-spiral apparatus for determining organic sulfur in gas.....	16
7.	All-glass platinum-spiral apparatus.....	16
8.	Vapor pressure of C ₂ H ₅ SH over C ₂ H ₅ SH - dibutyl phthalate mixture.....	20
9.	Vapor pressure of CS ₂ over CS ₂ - dibutyl phthalate mixture.....	20
10.	Vapor pressure of C ₄ H ₄ S over C ₄ H ₄ S - dibutyl phthalate mixture.....	20

ILLUSTRATIONS (Cont'd.)

<u>Fig.</u>		<u>Follows</u> <u>page</u>
11.	Apparatus for studying removal of organic sulfur.	20
12.	Experimental apparatus for testing catalysts for converting organic sulfur to hydrogen sulfide..	20
13.	Catalyst tube used in organic sulfur removal studies.....	20
14.	Curve showing typical revivification of fouled Cu-Cr-V catalyst.....	32
15.	H ₂ and CO consumption during reduction of Cu-Cr-V catalyst.....	33
16.	Apparatus for testing Huff catalysts in fluidized state.....	36
17.	Adsorptive capacity of GW carbon for COS in H ₂ -CO ₂ mixtures.....	48
18.	500-standard-cubic-feet-per-hour gas-purification pilot plant.....	50
19.	View of gas-purification pilot plant.....	50