

Bureau of Mines  
Report of Investigation, 4570

COPY



**SOME THERMODYNAMIC VALUES  
FOR FERROUS OXIDE**

BY G. L. HUMPHREY, E. G. KING, AND K. K. KELLEY

United States Department of the Interior — June 1952


LOUISIANA STATE UNIVERSITY

JUL 23 1952

# SOME THERMODYNAMIC VALUES FOR FERROUS OXIDE

BY G. L. HUMPHREY, E. G. KING, AND K. K. KELLEY

\* \* \* \* \* Report of Investigations 4870



UNITED STATES DEPARTMENT OF THE INTERIOR  
Oscar L. Chapman, Secretary  
BUREAU OF MINES  
J. J. Forbes, Director

---

Work on manuscript completed September 1951. The Bureau of Mines will welcome reprinting of this paper, provided the following footnote acknowledgment is made: "Reprinted from Bureau of Mines Report of Investigations 4870."

June 1952

# SOME THERMODYNAMIC VALUES FOR FERROUS OXIDE

by

G. L. Humphrey,<sup>1/</sup> E. G. King,<sup>1/</sup> and K. K. Kelley<sup>2/</sup>

---

---

## CONTENTS

	<u>Page</u>
Introduction and summary .....	1
Materials .....	1
Ferrous oxide .....	1
Iron .....	2
Magnetite .....	2
Anhydrous ferrous chloride .....	3
Heat of formation at 298.16°K. ....	3
Combustion calorimetry .....	3
Combustions of iron .....	3
Combustions of ferrous oxide-iron mixtures .....	5
Solution calorimetry .....	6
Other methods .....	8
Carbon monoxide reduction equilibria .....	8
Hydrogen reduction equilibria .....	9
Disproportionation reaction of ferrous oxide .....	11
Discussion .....	11
Heat and free energy of formation functions .....	12
Reduction equilibria .....	12
Hydrogen reduction .....	12
Carbon monoxide reduction .....	13
Carbon reduction .....	15
Conclusions .....	16

- 
- <sup>1/</sup> Physical chemist, Minerals Thermodynamics Branch, Metallurgical Division, Region III, Bureau of Mines, Berkeley, Calif.
- <sup>2/</sup> Chief, Minerals Thermodynamics Branch, Metallurgical Division, Region III, Bureau of Mines, Berkeley, Calif.

## TABLES

	<u>Page</u>
1. Reaction scheme for obtaining heat of formation of $\text{Fe}_{0.947}\text{O}$ .	7
2. Calculation of heat of reduction of ferrous oxide by hydrogen at $298.16^\circ\text{K}$ .	10
3. Heat of formation of $\text{Fe}_{0.947}\text{O}$ at $298.16^\circ\text{K}$ .	12
4. Heat and free energy of reaction $0.947 \text{Fe}(\text{c},\text{l}) + 1/2 \text{O}_2(\text{g}) = \text{Fe}_{0.947}\text{O}(\text{c},\text{l})$	13
5. Data for reaction $\text{Fe}_{0.947}\text{O}(\text{c},\text{l}) + \text{H}_2(\text{g}) = 0.947 \text{Fe}(\text{c},\text{l}) + \text{H}_2\text{O}(\text{g})$	14
6. Data for reaction $\text{Fe}_{0.947}\text{O}(\text{c},\text{l}) + \text{CO}(\text{g}) = 0.947 \text{Fe}(\text{c},\text{l}) + \text{CO}_2(\text{g})$	15
7. Data for reaction $\text{Fe}_{0.947}\text{O}(\text{c},\text{l}) + \text{C}(\text{graphite}) = 0.947 \text{Fe}(\text{c},\text{l}) + \text{CO}(\text{g})$	16

## ILLUSTRATIONS

<u>Fig.</u>	<u>Follows</u> <u>page</u>
1. Equilibrium percentages of water and carbon dioxide in hydrogen and carbon monoxide reductions of ferrous oxide.	12