

PROGRESS REPORT ON OPERATION OF PRESSURE-GASIFICATION  
PILOT PLANT UTILIZING PULVERIZED COAL AND OXYGEN

by

G. R. Strimbeck,<sup>1/</sup> J. B. Cordiner, Jr.,<sup>2/</sup> H. G. Taylor,<sup>2/</sup>  
K. D. Plants,<sup>2/</sup> and L. D. Schmidt<sup>3/</sup>

CONTENTS

	<u>Page</u>
Summary and conclusions.....	1
Introduction.....	2
Acknowledgments.....	2
Theoretical and economic considerations that make high-pressure gasification attractive.....	2
Description of pilot plant.....	3
Reactant nozzle development.....	5
Steam-oxygen superheater.....	6
Coal preheater.....	6
Safety and control system.....	6
Coal-feeding equipment.....	8
Operating procedure.....	9
Coal preparation and nature of residues obtained.....	12
Discussion of operating experience with individual equipment items and implications as to future development.....	13
Coal-feeding equipment.....	13
Recycle compressors.....	13
Coal preheater.....	13
Flow control.....	13
Steam-oxygen superheaters.....	14
Original steam heater.....	14
Present steam-oxygen superheater.....	14
Oxygen-steam flow regulation.....	14
Gasifier.....	14
Refractory linings.....	15
Cooling coils.....	15
Preheating method.....	15
Cross-over line.....	16
Waste-heat recovery.....	16
Slag collection.....	16
Scrubber.....	16
Water-letdown valve.....	16
Packing.....	17
Gas-letdown valve.....	17

- <sup>1/</sup> Supervising engineer, Bureau of Mines, Morgantown, W. Va.  
<sup>2/</sup> Chemical engineer, Bureau of Mines, Morgantown, W. Va.  
<sup>3/</sup> Chief, Synthesis Gas Branch, Bureau of Mines, Morgantown, W. Va.

I 28.23:

4971-4980

## CONTENTS (Cont.)

	<u>Page</u>
Results.....	17
Principal calculated results.....	17
Coal and residue data.....	19
Accuracy of results.....	22
Probable accuracy of measurements.....	22
Oxygen flow.....	22
Steam flow.....	22
Coal flow.....	23
Product-gas flow.....	23
Residue measurement.....	23
Other measurements.....	24
Comparison of product-gas flow data and residue data.....	24
Discussion of results.....	25
Effect of oxygen-coal ratio.....	25
Relationship between pressure and capacity.....	26
Probable capacity at higher pressure.....	27
Heat losses and probable economic effect in larger units...	27
Nature of sulfur content of product gas.....	27

## ILLUSTRATIONS

<u>Fig.</u>	<u>Follows page</u>
1. Horsepower requirements of various processes using synthesis gas or hydrogen (when the gas is compressed from atmospheric pressure to the process pressure)...	2
2. Pilot-plant flowsheet for pressure gasification.....	2
3. Coal-feeder instrumentation flowsheet.....	2
4. Reactant injection nozzle, design "B" (used also as heatup burner).....	4
5. Reactor for pressure gasification (as originally installed).....	4
6. Reactor for pressure gasification (as modified following run P-14).....	4
7. Cross-section view of pressure gasifier, showing refractory condition after run P-14.....	4
8. Cross-section view of pressure gasifier, showing refractory condition after run P-19.....	4
9. Cross-section view of pressure gasifier, showing refractory condition after run P-22.....	4
10. Scrubber for pressure-gasification pilot plant.....	4
11. High-pressure water letdown valve.....	4
12. Thaisen gas washer, disintegrator type.....	4
13. High-pressure oxygen and steam superheater.....	6
14. Safety system for pressure-gasification pilot plant....	6
15. Feed-line pressure tap.....	8
16. Vessel pressure tap.....	8
17. Typical flow-control curves used for high-pressure pneumatic coal-feeder feed-line calibration.....	8

ILLUSTRATIONS (Cont.)

<u>Fig.</u>	<u>Follows</u> <u>page</u>
18. Effect of coal-feeder operating pressure on amount of conveying gas used per pound of coal.....	8
19. Comparison of carbon gasified from flow data with that from residue data.....	24
20. Effect of oxygen-carbon ratio on percentage of carbon gasified.....	24
21. Effect of oxygen-coal ratio on coal requirements per 1,000 std. c.f. of (CO + H <sub>2</sub> ).....	26
22. Effect of oxygen-coal ratio on oxygen requirement per 1,000 std. c.f. of (CO + H <sub>2</sub> ).....	26
23. Relation between gasifier pressure and coal throughputs used.....	26
24. Relation between gasifier pressure and (CO + H <sub>2</sub> ) output obtained.....	26