



PB87209896


**NTIS**  
Information Is our business.

---

## MASS TRANSFER IN THREE-PHASE SLURRY REACTORS

AMSTERDAM UNIV. (NETHERLANDS)

1984



U.S. DEPARTMENT OF COMMERCE  
National Technical Information Service

PB87-209896

# MASS TRANSFER IN THREE-PHASE SLURRY REACTORS

Netherlands Bibliographic Number

B 8437245

W. J. DE BLOK

REPRODUCED BY  
U.S. DEPARTMENT OF COMMERCE  
NATIONAL TECHNICAL  
INFORMATION SERVICE  
SPRINGFIELD, VA 22161

# MASS TRANSFER IN THREE-PHASE SLURRY REACTORS

## ACADEMISCH PROEFSCHRIFT

ter verkrijging van de graad van doctor in de  
Wiskunde en Natuurwetenschappen  
aan de Universiteit van Amsterdam,  
op gezag van de Rector Magnificus dr D. W. Bresters,  
hoogleraar in de Faculteit der Wiskunde en Natuurwetenschappen  
in het openbaar te verdedigen in de Aula der Universiteit  
(tijdelijk in het Wiskundengebouw, Roetersstraat 15)  
op woensdag 24 oktober 1984 te 15.00 uur precies

Oet 10

door

Wilhelmus Jozef de Blok

geboren te Amsterdam

Promotor: Prof. Dr. Ir. J.M.H. Fortuin

Aan mijn ouders

Aan Stephanie,

Rogier en Axel

## CONTENTS

Chapter 1 Introduction	1
1.1. Gas-liquid-solid reaction systems	1
1.2. Reactors containing gas-liquid-solid systems	1
1.3. Slurry reactors	2
1.4. Outline of the work to be presented	4
Chapter 2 Hydrodynamic behaviour of a bubble column and a slurry column	6
2.1. Introduction	6
2.2. Physical quantities influencing mass transfer	7
2.2.1. Average gas holdup	7
2.2.2. Gas-holdup distribution	8
2.2.3. Solid particle distribution	11
2.2.4. Axial liquid-phase velocity distribution	12
2.2.5. Sauter mean gas bubble diameter	15
2.2.6. Specific interfacial area	18
2.2.7. Dynamic gas disengagement	18
2.3. Equipment	22
2.4. Physical properties	23
2.5. Results	23
2.5.1. Average gas holdup	23
2.5.2. Gas-holdup distribution	29
2.5.3. Local solids concentration	33
2.5.4. Axial liquid-phase velocity distribution	34
2.5.5. Sauter mean gas bubble diameter	36
2.5.6. Specific interfacial area	38
2.5.7. Dynamic gas disengagement	39
2.6. Summary and conclusions	48
Chapter 3 Measurement of the Henry number	50
3.1. Introduction	50
3.2. Theory	50
3.3. Equipment	51
3.4. Procedure	51
3.5. Results	55
3.5.1. Water	55
3.5.2. Aqueous hydroxylamine solution	56
3.5.3. Aqueous solution of 3-pentanone	57
3.6. Conclusions	57

3.7. Discussion	57
<b>Chapter 4 Measurement of diffusion coefficients</b>	<b>60</b>
4.1. Introduction	60
4.2. Theory	61
4.3. Equipment	64
4.4. Procedure	66
4.5. Precautions	66
4.6. Absorption of hydrogen in liquids	68
4.6.1. Water	68
4.6.2. Aqueous hydroxylamine solution	70
4.6.3. Aqueous solution of 3-pentanone	70
4.6.4. 1-Propanol	71
4.6.5. n-Heptane	71
4.6.6. Aqueous polyacrylamide solution	72
4.7. Absorption of helium in water	75
4.8. Predicting equations	76
4.8.1. Hydrogen in water	77
4.8.2. Hydrogen in 1-propanol	78
4.8.3. Hydrogen in n-heptane	78
4.8.4. Hydrogen in an aqueous polyacrylamide solution	79
4.8.5. Helium in water	80
4.9. Accuracy	81
4.10. Conclusions	81
4.11. Further research	82
<b>Chapter 5 Models for mass transfer in slurry reactors</b>	<b>83</b>
5.1. Introduction	83
5.2. Catalyst particles in the bulk of the liquid only	83
5.2.1. Reaction of zero order in the gas component A	84
5.2.2. Reaction of first order in the gas component A	86
5.3. Catalyst particles in the liquid film only	88
5.3.1. Reaction of zero order in the gas component A	89
5.3.2. Reaction of first order in the gas component A	91
5.4. Catalyst particles homogeneously distributed in the liquid	92
5.4.1. Reaction of zero order in the gas component A	92
5.4.2. Reaction of first order in the gas component A	96
5.5. Comparison between models for heterogeneous and homogeneous systems	98
5.6. Summary	98

Chapter 6 Gas absorption experiments with a three-phase reaction system	101
6.1. Introduction	101
6.2. Equipment	101
6.3. Measurement of mass transfer coefficient	101
6.3.1. Procedure	101
6.3.2. Calculation of mass transfer coefficient	103
6.4. Measurement of gas absorption rates with chemical reaction	103
6.4.1. Procedure	103
6.4.2. Calculation of gas absorption rate	104
6.5. Experimental results	104
6.5.1. Hydrogenation of hydroxylamine in water	104
6.5.2. Hydrogenation of 3-pentanone in water	108
6.5.3. Hydrogenation of styrene in n-heptane	111
6.6. Conclusions	115
Chapter 7 Design of slurry reactors	116
7.1. Physical quantities and relations	116
7.2. Influence of gas holdup and particle size on mass transfer rate	118
7.3. Summary and conclusions	122
List of symbols	123
References	134
Samenvatting	137
Summary	139
Dankwoord	141
Curriculum Vitae	142