

Diesel Fuel Component Contribution to Engine Emissions and Performance

Final Report

Jimell Erwin
Thomas W. Ryan, III
David S. Moulton
*Southwest Research Institute
San Antonio, Texas*

NREL technical monitor:
C. Colucci



National Renewable Energy Laboratory
1617 Cole Boulevard
Golden, Colorado 80401-3393

A national laboratory of the U.S. Department of Energy
Operated by Midwest Research Institute
for the U.S. Department of Energy
Under Contract No. DE-AC36-83CH10093

Prepared under Subcontract Number YZ-2-11215-1

November 1994

MASTER
DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

This publication was reproduced from the best available camera-ready copy submitted by the subcontractor and received no editorial review at NREL.

NOTICE

This report was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or any agency thereof.

Available to DOE and DOE contractors from:
Office of Scientific and Technical Information (OSTI)
P.O. Box 62
Oak Ridge, TN 37831
Prices available by calling (615) 576-8401

Available to the public from:
National Technical Information Service (NTIS)
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161
(703) 487-4650



DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

Table of Contents

SECTION	PAGE
INTRODUCTION	1
Background Literature	2
OBJECTIVE	2
APPROACH	3
Materials and Processing	4
Petroleum Stocks and Products	4
Fischer-Tropsch Liquids	4
Processing	6
Distillation	8
Laboratory Evaluation	8
Combustion Experiments	11
Ignition Quality	11
Engine Tests	11
Test Engine	12
Instrumentation	12
Test Procedures	14
RESULTS AND DISCUSSIONS	16
Analyses	16
Aromatics	16
Cetane Index	22
CVCA Results	24
Engine Ignition Quality	32
Performance and Emissions	39
Task 3 Clean-Fuel Study	47
Determining Blend Composition for Low-Emission Fuels	47
Clean-Fuel Experimental Results and Discussions	49
Fischer-Tropsch Fuels	49
Low Emissions Fuels	55
Clean-Fuel Discussion	60
SUMMARY AND CONCLUSIONS	61
Acknowledgments	64
References	65
Appendix A. Detailed analytical results.	A-1
Appendix B. VCR Engine modification	B-1
Appendix C. Task 3 "Clean Fuel" results	C-1

List of Figures

FIGURE	PAGE
1	Sequence of operations for making the test fuels 3
2	Schematic diagram for the diesel-fuel assay 7
3	Constant volume combustion apparatus 12
4	Variable compression ratio profile schematic 13
5	Cetane number calibration curve 15
6	Aromatic carbon vs. the 50% point temperatures for LCGOs 16
7	Aromatics vs. boiling point for LCOs 20
8	Aromatics vs. boiling point for LCGOs 20
9	Aromatics vs. boiling point for SRDs 20
10	LCO aromatics distribution 21
11	Cetane index by ASTM D 976 & D 4737 vs. LCO D 86 50% temperature 23
12	Cetane index vs. the 50-percent point for LCGOs 24
13	CVCA cetane number calibration curves 24
14	CVCA cetane number of LCOs at 582°C 29
15	CVCA cetane number of LCGO at three test temperatures 29
16	CVCA cetane number of SRD at three test temperatures 30
17	CVCA cetane number of LCGOs at 582°C 30
18	CVCA cetane number of SRDs at 582°C 31
19	CVCA cetane number vs. aromatics for the three feedstocks 31
20	CVCA cetane number vs. cetane index for the light-cycle oils 33
21	CVCA cetane number vs. cetane index for the straight-run diesel fuels 33
22	VCR cetane number vs. CVCA cetane number 34
23	Cetane number (VCR) vs. the average boiling point for the light-cycle oil 35
24	Cetane number (VCR) vs. the average boiling point for the light-coker gas oil 35
25	Cetane number (VCR) vs. the average boiling point for the straight-run diesel fuels and Fischer-Tropsch fuels 36
26	Effect of hydrogenation by boiling range 37
27	Cetane numbers of blends of F-T distillate with diesel components 38
28	Hydrocarbon emissions vs. viscosity for the Mode 1 test condition 40
29	Power variations in Mode 1 vs. apparent combustion efficiency 41
30	NOx emissions vs. NMR aromatic content for Mode 1 41
31	NOx vs. cetane number (VCR) for Mode 1 42
32	HC emissions vs. fuel fractions for the F-T fuels at Mode 2 46
33	Bosch smoke number vs. fuel fractions for the F-T fuels at Mode 2 46
34	VCR cetane ratings of the Fischer-Tropsch materials 51
35	Nitric oxide emission data for the Mode 2 test condition 51
36	Bosch smoke numbers for the Mode 2 test condition 52
37	Hydrocarbon emissions for the Mode 1 test condition 52
38	Hydrocarbon emissions for the Mode 2 test condition 53
39	Emissions parameters for all test materials at the Mode 2 test conditions 53
40	Aromatic content of the low-emission fuels 56
41	VCR cetane numbers of the low-emission fuels 56
42	NOx emissions for the low-emissions fuel at Mode 2 57
43	Hydrocarbon emissions for the low-emissions fuels at Mode 2 57
44	CO emissions for the low-emissions fuel at Mode 2 58

List of Figures (Continued)

FIGURE		PAGE
45	Bosch smoke for the low-emissions fuels at Mode 2	58
46	Emissions parameter, calculated and measured, at Mode 2	59
47	Emissions parameter, calculated and measured, at Mode 1	59
48	Emissions parameters for all test materials at the Mode 1 test conditions	60

List of Tables

TABLE		PAGE
1	Feedstock Properties	5
2	Processing Parameters	6
3	Corresponding Boiling Ranges of Fractions	9
4	Engine Specifications	14
5	Test Condition for Ignition Quality Rating	14
6	Test Condition for Performance and Emissions	15
7	Partial Results for Distillation Fractions	17
8	Ignition Delay Times, CVCA Cetane Numbers, and Arrhenius Coefficients	26
9	Low-Emissions Fuels Description	48
10	Computed and Measured Properties of the Low-Emissions Fuels	49
11	Task 3 Correlation Inputs	54