

Index to Microfilm of Dr. Pier's Files

I. Airplane Engine

	<u>Pages</u>
J2 Specification fuel	1 - 9
Knock testing with Aromatic Mixtures	10 - 14
Action of Isopropylbenzene in the Engine	15 - 18
"R - Stoffe"	19 - 20
Heat Balance of an aviation engine	21 - 24
Safety Fuels	25 - 26
Research with High load fuels	27 - 29
Motor test of P20 oil	30 - 31
Special aviation fuels	32 - 33
Possibilities of prevention exhaust gas condensation	34 - 47
Supercharge and regulation thereof in aviation engines	48 - 61
Detonation in Engine	62 - 71
Ignition of air-fuel mixtures by an Ignition Cap	72 - 78

II. Alkylation, etc.

Alkylation of Rumanian Shale gasoline and several unsaturated gasolines from other sources.	79 - 87
Outlook for higher octane number gasolines	88 - 120
Military Specification for Aviation Gasoline	121 - 125
Butane dehydrogenation	126 - 129
Catalyst discussion: Butane dehydrogenation, etc	130 - 133
Hydrogenation of Octane over diluted catalyst and at lower pressures	134 - 139
Process for dehydrogenation of saturated gaseous hydrocarbons	140 - 144
Butane Isomerization Research	145 - 156
Butane Dehydrogenation with gas recirculation	157

III. Analysis

Mixing properties of Tars and Pitches	158 - 159
Sieve Analysis	160
Iodine Number	161 - 162
Determination of aromatic content by the Aniline Point Method, March 31, 1941	163 - 168
Determination of aromatic content by the Aniline Point Method, July 1942	169 - 182
Phenol Determination in Middle Oils	183 - 212
An exact potentiometric rapid determination of basic Nitrogen in oils	213 - 229
Nitrogen Determination in Middle Oils	230 - 250
Asphalt Determination with the aid of Chromatographic Adsorption Analysis	251 - 253
Storage and Chemical Properties of Fuels	254 - 256
Methods of testing aviation gasoline	257 - 261
Literature Survey and Abstract concerning Molybdenum Sulfide	262 - 273
Coloremtric analysis of fluid fuels	274 - 275
Experience exchange on analytical methods	276-294
Determination of settling of coal paste	295

IV. Asphalt and Wax Separation

Paraffin Removal according to the Dichlorethane process	296 - 314
Paraffin Removal with Schwitz kamern	315 - 326
On the oxidation of hydrogenated petroleum crude wax	327 - 329
Refining Zeitz TTH paraffin thru Hydrogenation over K7846W.	330 - 336
Asphalt removal in Misburg	337 - 341
Oil content of Crude wax from Neutral Oil	342 - 351
Investigation of Wax separation in Dichloroethylene	352 - 355

	<u>Pages</u>
IV. Asphalt and Wax Separation	
Photomicrographs of wax crystals in propane solution	356 - 375
Dewaxing of paraffin wax residue in Lutz Kendorf	376 - 382
Remarks on Dr. Feherbach's report	383 - 385
Small scale work on propane dewaxing	386 - 403
Dewaxing work on residue oil of Niegenhagen	404 - 418
Filter aids in Wax Filtering	419 - 422
Zeit Dewaxing Situation in 1942	423 - 425
V. Coke and Carbonization	
Electrode Coke from tar and Petroleum Asphalts	426 - 429
Research to recover primary bitumen for production of electrode - coke	430 - 433
Primary bitumen from the large scale research at Ludwigshafen compared with Welheim Bitumen	434 - 436
VI. Corrosion and Metallurgy	
"Ersatz" materials for Hydrogenation	437 - 443
Talk on Test - Melts of N10 with Titanium and other additions	444 - 460
On N10 Steel	461 - 462
N10 in 700 atm preheaters	463 - 466
Creep limit at higher loads than those corresponding to normal Creep Tests ("Zeitstandfestigkeit") on N9 and N10	467 - 469
H ₂ S corrosion in DHD plants	470
Experience with use of new compositions for Special High Pressure Steels	471 - 473
Iron Sulfide Corrosion in Liquid Phase Preheater	474
Tube material Considerations for 700 atm preheater	475 - 477
The N8 tube which leaked. Investigation	478 - 486
Microscopic and analytical investigation of a hairpin deposit from Gelsenberg	487 - 490
Intercrystalline corrosion by cold catchpot liquor	491 - 495

<u>VII. Cracking</u>	<u>Pages</u>
Cat Cracking of Intermediate Materials of the Lube-oil Synthesis	496 - 498
WS ₂ in low pressure cracking	499 - 507
Basis for semi-technical cat - cracking with powdered catalyst	508 - 513
Cat Cracking in 40 l converter	514 - 535
Cat Cracking of Synthesis Products	536 - 540
1943 I.G. Experiments on Cat Cracking	541 - 578
Cat Cracking of Middle Oil with AlCl ₃	579 - 594
Rumanian Crude Residue treatment by Cat Cracking	595 - 618
Cat Cracking in 50 liter sluice converter	619 - 626
Cracking of gasoline and gas oil under H ₂ pressure	627 - 643
Cracking and Hydrogenation. Results to 1942	644 - 649
Development of Cracking (literature survey)	650 - 671
Production of unsaturated cracked gas from hydrogen rich middle oil	672 - 674
Running gasoline over Silica with and without pressure	675 - 688
Production of unsaturated cracked gas from hydrogen rich middle oil	689 - 695
Comparison of thermal cracking processes with pressure distillation	696 - 700
<u>VIII. D.H.D. Toluol, Hydroforming etc.</u>	
Dehydrogenation of CV ₂ B gasoline over catalyst 7360 in 100 liter converter	701 - 707
Research in 100-cc Converters toward Recovery of Pure Aromatics, especially Toluol, from Xyloland DHD residues	708 - 714
Treatment of Phenolsolvanextract and residue therefrom for production of pure aromatics	715 - 727
Technical Scale Research on Toluol Recovery thru dehydrogenation of the product of the DHD product separator	728 - 731
Corrosion Research for DHE	732 - 733

-5-
VIII D.H.D. Toluol., Hydroforming etc.

	<u>Pages</u>
<u>DHD Preheater</u>	734 - 735
<u>DHD tests in 100 cc Converter</u>	736 - 749
<u>Activity Test on Technical DHD</u>	750 - 752
<u>Dehydrogenation and Splitting over 7935</u>	753 - 772
<u>Highest Converter Temperature in the Politz DHD Plant</u>	773 - 774
<u>DHD tests in 100 cc Converter</u>	775 - 800
<u>Further DHD Developments (1942)</u>	801 - 803
<u>DHD Catalyst testing (from technical Alumina)</u>	804 - 817
<u>DHD Tests in 100 cc Converter</u>	818 - 867
<u>DHD lab tests in 1 liter Converter</u>	868 - 893
<u>Technical state of the DHD art</u>	894 - 898
<u>Additives to leaded DHD gasoline</u>	899 - 902
<u>DHD tests in 100 liter Converter</u>	903 - 906
<u>Report on Semi-technical work at Politz</u>	907 - 908
<u>Data for production of DHD gasoline from various raw materials</u>	909
<u>Dehydrogenation of Rumanian gasoline</u>	910 - 918
<u>Properties of DHD gasoline from petroleum gasoline</u>	919 - 926
<u>DHD and HF art in 1942</u>	927 - 937
<u>Refining and dehydrogenation of Cat Cracked gasoline over 7360</u>	938 - 947
<u>DHD research in 40 liter converters</u>	948 - 963
<u>Testing DHD cats in 1 liter converter</u>	964 - 978
<u>Status of Large Scale work</u>	979 - 994
<u>DHD work in 40 liter Converter</u>	995 - 1029
<u>Testing of DHD catalysts</u>	1030 - 1047
<u>Inspection (physical) of DHD catalyst</u>	1048 - 1052
<u>DHD heat of Reaction</u>	1053
<u>DHD treatment of Saturation Gasoline from Rhenish Brown coal</u>	1054 - 1060

VIII D.H.D. Toluol, Hydroforming etc

Pages

DHD research in one liter converter with catalysts of large and moderate activity	1061 - 1079
Testing DHD catalysts	1080 - 1087
Use of electric-heated parallel tube bundles in intermediate preheater in 1 meter DHD research stall 504	1095 - 1100
The DHD process	1101 - 1106
Comparison of the results of DHD treatment of various saturation gasoline products originating from brown-coal	1107 - 1117
Splitting hexahydroxylol research	1118 - 1119
Xylol alkylation research	1120 - 1126
Toluol from DHD treatment of gasoline and middle oil fractions and concluding fine distillation of the product	1127 - 1162
Research in 100 cc Converters toward recovery of pure aromatics especially Toluol, from Xylol	1163 - 1165