

Index to Microfilm of Dr. M. Pier

	<u>Pages</u>
XXVI Vapor Phase - Hydrogenation	1 - 4
Basis for Evaluation of Aromatization Research	5 - 7
Troubles in Vapor Phase Stalls	8 - 11
45 atm Aromatization with deteriorating activity	12
Saturation with 8376 Catalyst	13 - 16
H ₂ S addition in Vapor Phase	17 - 39
Semitechnical work on Saturation of bituminous coal hydrogenation middle oil and gasoline over 7846 W 250	40
The activity peak with 5058	41 - 47
Data (descriptive) on Different Catalysts	48 - 49
Catalytic Relations of the System Silisic Acid Alumina Iron during Hydrocarbon. Conversion Reactions	50 - 52
Research Results with Tungsten Catalysts	53 - 54
Splitting Catalyst for Catalytic High Pressure Hydrogenation	55 - 56
ANIC Catalysts	57 - 59
Gasoline Quality for the Japanese Plant	60 - 65
About Catalyst 7846W250	66 - 73
Aromatization at 250 atm with Alumina Catalyst 8688	74 - 79
Operations with 7846 and 5058 Catalysts	80 - 91
Effect of oil partial pressure, thruput and contact time on the results of Saturation with 7846	92 - 103
New Splitting Catalysts	104 - 130
Translations from Russian - "Recovery of High Octane Gasoline by Hydrogenation:."	131 - 134
Influence of Sulfur with Fullers Earth - Iron Fluoride Catalysts	135 - 138
Production of Hydrocarbon Gases in Hydrogenation	139 - 140
Crystal Structure and Roentgen investigations of Tungsten Sulfide Structure	141
Reactions which do not alter the carbon Skeleton	142 - 144
WS ₂ Physical data	145 - 146
Election - Diffraction relations of WS ₂	
On the Question of the Existence of an amorphorus intermediate state in the production of WS ₂ Catalyst	

XXVI Vapor Phase - Hydrogenation

	<u>Pages</u>
from Amonio-sulfo-tungstate	147 - 148
Historical development of Catalysts (Chronology)	149 - 151
Use of Mo and W sulfides as catalysts for Pressure Hydrogenation	152 - 160
Influence of added Nitrogen Compounds on the results when splitting petroleum gas oil over 6434 TT	161 - 162
Testing new Saturation Catalysts	163 - 166
Testing of Composite Samples of 5058, 8376, 6434	167 - 169
The Temperature - dependance of reactions which occur in the Hydrogenation of bituminous coal liquefaction middle oil over 5058, 7846 and 8376 (7846W250)	170 - 185
Exchange of Experience on Saturation Catalyst 8376	186 - 206
Processing crude oil by pressure distillation and cracking at 50 atm	207 - 209
Tungsten carbide as a hydrogenation catalyst	210 - 212
Saturation of Leuna Gasoline and Middle Oil with the new 7846 Catalyst Research in 200 cc Converter	213 - 225
Use of 8376 (7846W250) for various feed stocks	226 - 242
Position taken on the ANIC Catalyst	243 - 245
Cat. Cracking at low pressure and in presence of H ₂ at 45 atm	246 - 252
Politz problem of common processing of petroleum residues and bituminous coal tar a middle oil in the gas phase	253 - 268
Production of low endpoint (100°C) gasoline (due to scarcity of Isooctane)	269 - 274
Aromatization of Middle Oil from bituminous coal liquid phase	275 - 277
600 atmospheres Aromatization	278 - 280
Further research in the domain of Alumina-Mo-Ni catalysts	281 - 288
Research to refine heavy benzol with Alumina-Mo-Ni catalyst in 1 liter Converter	289 - 297
Splitting Fischer-Tropsch high Molecular weight paraffins over 5058 and 8376 at 250 atm	298 - 302
Effect of Temperature on yield with various concentrations of Saturation catalysts	303 - 304

XXVI Vapor Phase - Hydrogenation

	<u>Pages</u>
Reducing WS ₂	305 - 306
How to make 6434 Catalyst	307 - 308
Splitting and DHD treatment of bituminous coal Middle oil over Saturation Catalyst 7846W250	309 - 326
Splitting and Isomerization of Isooctane and N-heptane over 5058	327
Action of Sulfur in High Pressure hydrogenation	328 - 329
Analytical evaluation of WS ₂ catalyst	330 - 332
Leuna discussion of catalysts	333 - 338
Comparison of Splitting of natural fullers earth and synthetic silicates at 250 and 600 atm	339 - 348
Aromatization of dephenolized middle oil (Scholven) over 7019	349 - 356
Tests of feed stocks of different origin for 7019	357 - 358
Comparison between natural fullers earth (6109) and Synthetic Aluminum silicate (6752) at 600 atm	359 - 363
Influence of temperature and thruput on the stage atm aromatization of bituminous coal liquefaction middle oil with Fullers Earth Catalyst	364 - 371
Calculations on the question of 300 vs 700 atm	372 - 374
High load gasoline from bituminous coal using DHD as final step	375
Crystal Structure of WS ₂ Catalyst	376 - 381
Effect of Recycle rate on 250 atm aromatization of middle oil from bituminous coal liquefaction over Alumina-fullers earth Catalyst 8688	382 - 390
Aromatization at 250 atm with Alumina Fullers Earth catalyst of the 8688 type	391 - 404
Splitting Catalysts from Iron Sulfide on Fullers earth	405 - 409
Variation of Knock rating with different distillation fractions in 250 atm splitting over 6434 catalyst	410 - 417
The ANIC fluoride catalyst compared with 6434	418 - 423
Discussion on ANIC catalyst operations	424 - 426
Comparison of 6434 and 6752	427 - 432

XXVI Vapor Phase - Hydrogenation	<u>Pages</u>
Activity of various Alumina-W-Ni Catalysts for hydrogenation	433 - 438
2 - stage 300 atm gas phase gasoline from various raw materials and with various saturation catalysts	439 - 445
Sulfur addition in Splitting over 6434	446 - 448
Action of W, V, Ni, Co, and Fe as active components on alumina saturation catalysts	449 - 457
Influence of the carrier on the results of 6434 splitting	458 - 461
Heavy Oil Splitting over fixed catalysts at 250 - 600 atm	462 - 473
Hydrogenation of Crude Wax	474 - 475
Catalyst test for the MoO ₂ Operation of Ludwigshafen	476 - 477
Reasons for differences in quality of residue gasoline from aromatization	478 - 487

XXVII Various Organic Processes

Hydrogenative Splitting of Natural Rubber and Buna	489 - 490
Synthesis of branched hydrocarbons (Tri-alkylcarbinol)	491 - 493
Processes for high test pure hydrocarbons	494 - 496
Process for Condensation Products	497 - 503
Polybutylene rubber	504 - 511
Making alcohol from Michael Process products	512 - 515
WS ₂ for loose hydrogenation of polynuclear aromatics	516 - 525
Literature Survey on treatment of various hydrocarbons with hydrogen	526 - 529
Hydrocarbon Synthesis using AlCl ₃ and CaCl ₂	530 - 532
Hydrogenation of Isobutyron	533 - 537