

INDEX - MICROFILM TOM REEL 296
(Original Designation FIAT Reel K-29)
PB L70218

Frames

- 6529-6532 These frames plus TOM Reel 295, Frames 6524-6528 make up complete report concerning the after-treatment of synthetic oil with Granosil, aluminum chloride and catalyst oil and the transformation of the residues to granular form. Report signed by Clar, dated July 21, 1939, Ruhrchemie A.G., Oberhausen-Holten.
- 6533-6541 Tests on the preparation of residue oil with maximum viscosity from unrefined cracked gasoline-- $AlCl_3$ used as catalyst. Report signed by Tramm and Clar, May 28, 1938, Ruhrchemie A.G., Oberhausen-Holten. (Five tables attached.)
- 6542-6563 Two reports on the working up of used catalyst oil. Reports signed by Tramm and Clar, dated April 22, 1940 and Feb. 17, 1940, Ruhrchemie A.G., Oberhausen-Holten. Complete report by Tramm and Clar, dated April 22, 1940, is also reproduced on TOM Reel 291, Frames 2712-2719; 2820-2821 (Frames 2720-2819 are omitted from TOM Reel 291.)
- 6564-6568 The influence of catalyst oil on the viscosity of lubricating oils during production. Aluminum chloride used as catalyst. Report signed by Clar, dated June 22, 1938, Ruhrchemie A.G., Oberhausen-Holten. (Three tables attached.) (Reproduced also on TOM Reel 290, Frames 1930-1934.)
- 6569-6572 After-treatment of synthetic oil by catalyst oil and a small quantity of aluminum chloride. Report signed by Tramm and Clar, dated March 28, 1938, Ruhrchemie A.G., Oberhausen-Holten. (Two tables attached.)
- 6573-6579 Preparation of shock-absorber fluid from cracked gasoline. Report signed by Clar, dated June 3, 1938, Ruhrchemie A.G., Oberhausen-Holten. (Five tables attached.)
- 6580-6602 Distillation of lubricating oils in high vacuum. (Molecular distillation.) Report dated March 3, 1943, Ruhrchemie A.G., Oberhausen-Holten. (Recognition for work is given to Dietsch and Kühnel. Literature references, three pages of diags., and four pages of curves attached.) (Note of transmittal, signed by Dr. Tramm, dated July 20, 1943, attached to beginning of report.)
- 6603-6615 Comparison of the catalytic cracking of gasol from the Fischer-Tropsch synthesis and from petroleum. Report signed by Kolling, dated May 12, 1943, Ruhrchemie A.G., Oberhausen-Holten. (German Patent Applications I 64,792 and I 58,775 referred to. Three tables and five pages of curves attached.)

Frames:

- 6616-6629 Artificial aging of oils by compressed air and research with various methods of stabilization. Report signed by Tramm and Clar, dated Feb. 17, 1943, Ruhrchemie A.G., Oberhausen-Holten. (Six tables and one diag. attached.)
- 6630-6633 Density of synthetic oil depending on the nature of the primary gasoline and the viscosity of the oil. Report signed by Clar, dated April 13, 1942, Ruhrchemie A.G., Oberhausen-Holten. (One curve attached.)
- 6634-6701 Preparation of oils from primary products of the gasoline pressure synthesis. Series of four reports signed by Tramm and Clar, dated Jan. 10, 1941, Mar. 15, 1941, June 24, 1941 and July 15, 1941, Ruhrchemie A.G., Oberhausen-Holten. (Twenty-six tables and 3 graphs attached.)
- 6702-6713 Stabilization of fuel oils by inhibitors. Report signed by Clar, dated Jan. 3, 1941, Ruhrchemie A.G., Oberhausen-Holten. (Eight tables attached.)
- 6714-6725 Refining of circulated gasoline before the oil synthesis by means of a cold zinc chloride solution. Report signed by Clar, dated Feb. 17, 1945, Ruhrchemie A.G., Oberhausen-Holten. (Six tables attached.)
- 6726-6732 Transformation of cracked gasoline in serial syntheses to residue oils containing 50% "50 Brightstock." Report signed by Clar, dated Jan. 9, 1945, Ruhrchemie A.G., Oberhausen-Holten. (Three tables attached.)
- 6733-6744 Experiences with the artificial aging of synthetic oils. Report signed by Clar, dated March 14, 1944, Ruhrchemie A.G., Oberhausen-Holten. (Six tables and two diags. attached.)
- 6745-6765 Influence of cracked gasoline on the preparation of lubricating oil. Report signed by Gottschall, dated March 10, 1944, Ruhrbenzin A.G., Oberhausen-Holten. (Nine pages of tables and nine pages of curves attached.)
- 6766-6777 Preparation of highly viscous residue oils from prepurified cracked gasoline by synthesis in series with $AlCl_3$ as catalyst. Report signed by Clar, dated Dec. 20, 1943, Ruhrchemie A.G., Oberhausen-Holten. (Seven tables attached.)
- 6778-6794 Model experiment for the preparation of oil with the addition of mixtures of cracked and circulated gasoline. Report signed by Clar, dated Dec. 16, 1943, Ruhrchemie A.G., Oberhausen-Holten. (Eight tables attached.)

Frames

- 6795-6805 Stabilization of synthetic oils by addition of inhibitors before the synthesis. Report signed by Clar, dated Oct. 12, 1943, Ruhrchemie A.G., Oberhausen-Holten. (Seven tables attached.)
- 6806-6818 Preparation of residue oils with a maximum viscosity from prepurified cracked gasoline by separate synthesis (Einzelsynthese.) Report signed by Clar, dated Sept. 16, 1943, Ruhrchemie A.G., Oberhausen-Holten.
- 6819-6822 Use of "TVP" gasoline in the lubricating oil installation. Report dated Oct. 3, 1938, Ruhrchemie A.G., Oberhausen-Holten. (Two pages of tables and one graph attached.)
- 6823-6857 Catalytic dehydrogenation of propane. Report signed by Tramm and Speitmann, dated April 25, 1939, Ruhrchemie A.G., Oberhausen-Holten. (Tables and curves included.)
- 6858-6861 Tests on the refining of "Ruhrgasol" by active carbon. Report signed by Schubert, dated 1938, Ruhrchemie A.G., Oberhausen-Holten. (Two tables attached.)
- 6862-6865 Olefin content of gasol and gasoline from magnesium-thorium catalysts. Report dated May 28, 1938, Ruhrbenzin A.G., Oberhausen-Holten. (Two tables attached.)
- 6866-6870 Determination of gasol in cracked gas and in unstabilized cracked gasoline. Report dated March 18, 1938, Ruhrbenzin A.G., Oberhausen-Holten. (Three tables attached.)
- 6871-6878 Plant analyses of the plant laboratory of the Ruhrchemie A.G. Gasol determination. Analyses. Reports dated during Feb. and March 1938, Ruhrbenzin A.G., Oberhausen-Holten.
- 6879-6911 Preparation of alcohols from the C₃ and C₄ fractions of gasol and the preparation of isopropyl ether from isopropyl alcohol. Report signed by Spiske, dated Jan. 6, 1938, Ruhrchemie A.G., Oberhausen-Holten. (Nine tables incl.)
- 6912-6925 Iron catalysts in the gasoline synthesis. Four reports signed by Roelen (Dec. 20, 1939), Bahr (Oct. 14, 1939), Roelen (Sept. 20, 1939) and Landgraf (Aug. 3, 1939), Ruhrbenzin A.G., Oberhausen-Holten. (Landgraf report has 7 pp. of diags. attached.)
- 6926-6929 Preparation of iron oxide for iron catalysts. Report signed by Blase, dated May 17, 1939, Ruhrchemie A.G., Oberhausen-Holten. (One diagr. attached.)
- 6930-6931 Determination of iron in catalysts. Report signed by Roelen, dated April 6, 1939, Ruhrbenzin A.G., Oberhausen-Holten.

Frames

- 6932-6935 Lurgi iron catalysts. Two conference reports signed by Bahr, (March 4, 1939) and Alberts (June 28, 1938), Ruhrchemie A.G., Oberhausen-Holten.
- 6936-6940 New method of cooling catalyst furnaces for the synthesis of hydrocarbons. Report on a patent specification signed by Roelen, dated Dec. 22, 1939, Ruhrbenzin A.G., Oberhausen-Holten.
- 6941-6944 Paraffin synthesis with a new cobalt catalyst. Report on a patent specification signed by Roelen, dated Dec. 19, 1939, Ruhrbenzin A.G., Oberhausen-Holten. (Reproduced also on TOM Reel 288, Frames 997-1000.)
- 6945-6948 Influence of the iron content of kieselguhr on the properties of catalysts for the hydrocarbon syntheses, particularly with regard to the reduction in methane formation. Report signed by Dahm, dated Oct. 23, 1939, Ruhrchemie A.G., Oberhausen-Holten. (Two pages of curves attached.)
- 6949-6951 Preparation of a phosphoric acid polymerization catalyst. Report signed by Tramm, dated Sept. 19, 1939, Ruhrchemie A.G., Oberhausen-Holten. (Reproduced also on TOM Reel 289, Frames 1565-1567 and TOM Reel 290, Frames 2021-2023.)
- 6952-6957 Dilute catalysts for the aromatization of hydrocarbons. (Heat control during catalyst regeneration.) Confidential report signed by Rottig, dated Sept. 7, 1939, Ruhrchemie A.G., Oberhausen-Holten. (Complete report reproduced on TOM Reel 290, Frames 2024-2064 including graphs, curves, diags. and tables.)
- 6958 Catalysts for an increased production of paraffin. Report dated Aug. 24, 1939, Ruhrbenzin A.G., Oberhausen-Holten. (This frame is supplement to Frames 6941-6944 which concerns cobalt catalysts used in paraffin production.)
- 6959-6967 Development of catalysts for the Fischer-Tropsch synthesis. Report signed by Roelen, dated Aug. 18, 1939, Ruhrbenzin A.G., Oberhausen-Holten. (Reproduced also on TOM Reel 287, Frames 340-348.)
- 6968-6972 Preparation of catalysts with a high cobalt density precipitated on purified kieselguhr: 100 Co, 15 ThO₂, 12.5 Kgr. Report dated Aug. 7, 1939, Ruhrbenzin A.G., Oberhausen-Holten. (Reproduced also on TOM Reel 287, Frames 40-43 and Frames 349-353.)
- 6973-6980 Activity of aromatization catalysts using alumina as carrier substance. (Investigation is made of calcination temperature of Al₂O₃ and influence of alkali content of Al₂O₃ on activity.) (Three tables in the form of graphs are attached.) Report signed by Rottig, dated July 11, 1939, Ruhrchemie A.G., Oberhausen-Holten. (Reproduced also on TOM Reel 289, Frames 1780-1787 and TOM Reel 290, Frames 2069-2076.)

Frames

- 6981-6986 The causes of cobalt losses in synthesis installations. Report dated June 16, 1939, Ruhrbenzin A.G., Oberhausen-Holten.
- 6987-6988 Sulfur content in solutions for the preparation of cobalt catalysts. Report signed by Roelen, dated May 25, 1939, Ruhrbenzin A.G., Oberhausen-Holten.
- 6989-6990 Modification of the grain solidity of cobalt catalysts. Report signed by Heckel dated April 28, 1939, Ruhrbenzin A.G., Oberhausen-Holten. (Reproduced also on TOM Reel 288, Frames 928-929.)
- 6991-6994 Tests on the precipitation of cobalt synthesis catalysts with carbon dioxide-ammonia gas mixtures. Report by the Kaiser Wilhelm Institut für Kohlenforschung, Mülheim, 1938.
- 6995-7004 Regeneration of thorium from thorium catalyst sludge at Brabag, Schwarzheide. Two reports signed by Büchner, dated Dec. 19, 1938 and Jan. 24, 1939. (Note of transmittal signed by Roelen precedes reports and note signed by Schuff, concerning the Brabag thorium catalyst, follows reports.) (Reports and note of transmittal are also reproduced on TOM Reel 288, Frames 811-819.)
- 7005-7028 The Harnes catalyst plant and synthesis installation. Report signed by Gehrke and Schuff, dated Dec. 5, 1938, Courrieres-Kuhlmann, Harnes.
- 7029 Examination of Kieselguhr. Report signed by Heckel, Nov. 28, 1938, Ruhrbenzin A.G., Oberhausen-Holten.
- 7030-7031 The longevity of catalysts. Report signed by Roelen, dated Nov. 24, 1938, Ruhrbenzin A.G., Oberhausen-Holten.
- 7032-7036 Recovery of thorium from the thorium catalyst sludge. Improved sulfate process. Report signed by Büchner and Roelen, dated Oct. 22, 1938, Ruhrbenzin A.G., Oberhausen-Holten. (One flow diagr. and one curve attached.) (Two reproductions of the report appear on TOM Reel 288, Frames 841-850.)
- 7037-7039 The thorium content of mixed catalysts. Report signed by Heckel, dated Oct. 6, 1938, Ruhrbenzin A.G., Oberhausen-Holten. (Two pages of curves attached.)
- 7040-7047 Influence of the Kieselguhr type and of the reduction on the activity of catalysts. Report signed by Heckel, dated Sept. 8, 1938, Ruhrbenzin A.G., Oberhausen-Holten. (Five graphs attached.) (Reproduced also on TOM Reel 287, Frames 377-384.)
- 7048-7056 Japanese Kieselguhrs as carrier substances for catalysts. Report signed by Heckel, dated Sept. 7, 1938, Ruhrbenzin A.G., Oberhausen-Holten. (Three tables and three pages of graphs attached.). (Reproduced also on TOM Reel 287, Frames 368-376.)

Frames

- 7057-7076 Two reports on aromatization catalysts: Report on catalysts K₁-K₈₇ and review on the method of action of catalysts K₁-K₈₇. Reports signed by Rottig, dated Aug. 30, 1938, Ruhrchemie A.G., Oberhausen-Holtten. (Report is also reproduced on TOM Reel 290, Frames 1885-1898--review is not reproduced.)
- 7077-7081 Tests on a new catalyst carrier "Eirichkorn." Report signed by Heckel, dated Aug. 24, 1938, Ruhrbenzin A.G., Oberhausen-Holtten. (Two graphs attached.)
- 7082-7086 Determination of grit in kieselguhrs and quality of kieselguhr 120. Two reports signed by Roelen, dated Aug. 3, 1938, Ruhrbenzin A.G., Oberhausen-Holtten. (Page of rules included with these reports is also reproduced on TOM Reel 288, Frame 1040.)
- 7087-7090 Solubility and alkali resistance of kieselguhr. Report signed by Roelen, dated Aug. 3, 1938, Ruhrbenzin A.G., Oberhausen-Holtten. (One table and one graph attached.) (Table and graph also appear on TOM Reel 288, Frames 22-23.) (Complete report also appears on TOM Reel 287, Frames 1041-1044.)
- 7091-7094 Large scale tests on the recovery of thorium by the sulfate method in the preparation of catalysts. Report signed by Büchner, dated July 27, 1938, Ruhrbenzin A.G., Oberhausen-Holtten. (Flow diagr. attached.)
- 7095-7108 Oxidizability of cobalt catalysts and determination of tri-valent cobalt in cobalt catalysts. Report signed by Büchner, dated July 4, 1938, Ruhrbenzin A.G., Oberhausen-Holtten. (Report contains twelve attachments which consist of report by Roelen, dated July 2, 1938, one diagr., eight pages of graphs and two tables.) Attachments, with an additional table included, are also reproduced on TOM Reel 288, Frames 934-946C.
- 7109-7115 Experiences with thorium and magnesium catalysts by licensees at Rheinpreussen, Gewerkschaft Viktor, Brabag-Schwarzheide and Ruhrbenzin. Report signed by Schuff. dated June 15, 1938, Ruhrbenzin A.G., Oberhausen-Holtten.
- 7116-7117 Tests on the methanization of carbonic acid. Report signed by Roelen, dated May 24, 1938, Ruhrbenzin A.G., Oberhausen-Holtten.
- 7118-7123 Determination of the content of free metal in catalysts. (Acid-vacuum method.) Working instruction signed by Roelen, dated Jan. 5, 1938, Ruhrchemie A.G., Oberhausen-Holtten. (One sketch attached.) (Reproduced also on TOM Reel 287, Frames 32-37.)
- 7124-7128 Regeneration of cobalt solutions in catalyst manufacture by evaporation and crystallization. Report signed by Schenk, dated May 17, 1938, Ruhrbenzin A.G., Oberhausen-Holtten. (Two tables attached.)

Frames

- 7129-7133 Recovery of thorium from the thorium catalyst sludge by the sulfate process. Report signed by Buchner, dated May 14, 1938, Ruhrbenzin A.G., Oberhausen-Holtent. (One flow diagr. and table attached.) (Also reproduced on TOM Reel 287, Frames 74-79.)
- 7134-7135 Reducibility of cobalt catalysts with reference to the kieselguhr content. Report signed by Schenk, dated May 12, 1938, Ruhrbenzin A.G., Oberhausen-Holtent. (Curve sheet attached.) (Reproduced also on TOM Reel 288, Frames 699-700.)
- 7136-7138 Influence of reduction conditions on the activity of thorium and thorium-magnesium catalysts. Report signed by Schuff, dated May 11, 1938, Ruhrbenzin A.G., Oberhausen-Holtent.
- 7139-7163 The most favorable cobalt-kieselguhr proportion in cobalt catalysts. Report signed by Roelen and Heckel, dated May 2, 1938, Ruhrbenzin A.G., Oberhausen-Holtent. (Report incorporates work of Dr. K6lbel and has eight graphs and seven tables attached.) (Reproduced also on TOM Reel 292, Frames 3757-3781.)
- 7164-7165 Influence of the reduction and the granular form on the cobalt density in cobalt catalysts. Report signed by Schenk, dated April 23, 1938, Ruhrbenzin A.G., Oberhausen-Holtent. (One table attached.)
- 7166-7171 Thermal conductivity of catalysts. Report signed by Roelen, dated April 21, 1938, Ruhrchemie A.G., Oberhausen-Holtent. (One diagr. and two tables attached.)
- 7172-7183 Influence of an increased rate of flow of the synthesis gas on the olefin content of synthetic gasoline. Report signed by Landgraf, dated March 28, 1938, Ruhrbenzin A.G., Oberhausen-Holtent. (One diagr., three graphs and two tables attached. Note by Roelen, dated March 21, 1938, precedes report.)
- 7184 Carbon dioxide content of thorium and magnesium catalysts. Report signed by Schenk, dated Feb. 15, 1938, Ruhrbenzin A.G., Oberhausen-Holtent. (One table included.) (Reproduced also on TOM Reel 288, Frame 703 and Frame 704 (duplicate).)
- 7185-7188 Preparation of cobalt catalysts by compression. Report signed by Heckel, dated Jan. 28, 1938, Ruhrbenzin A.G., Oberhausen-Holtent. (Two graphs attached.) (Reproduced also on TOM Reel 288, Frames 954-957.)
- 7189-7193 Report on the preparation of thorium-free cobalt-magnesium catalysts by Ruhrchemie A.G. Report signed by Roelen, dated Aug. 13, 1937, Ruhrbenzin A.G., Oberhausen-Holtent. (One flow diagr. attached.) (Reproduced also on TOM Reel 287, Frames 53-57 and Frames 171-175B.)
- 7194-7200 Results of synthesis with various catalysts. Tests made by Ruhrchemie during 1944. (Two tables and note signed by Roelen, dated Aug. 22, 1944, attached.)

Frames

- 7201-7209 The calculation of the yield in the synthesis of higher hydrocarbons. Report signed by Roelen. dated Aug. 1944, Ruhrchemie A.G., Oberhausen-Holten.
- 7210-7213 Iron catalysts. Conference report signed by Roelen, dated Jan. 7, 1944, Ruhrchemie A.G., Oberhausen-Holten.
- 7214-7215 Alcohol-forming iron catalysts. Report signed by B chner. dated Sept. 21, 1945, Ruhrchemie A.G., Oberhausen-Holten.
- 7216-7219 Report on the preparation of aromatizing catalysts on a laboratory scale. Report signed by Rottig, dated March 10, 1944, Ruhrchemie A.G., Oberhausen-Holten. (Reproduced also on TOM Reel 289, Frames 1755-1759.)
- 7220 This frame is missing.
- 7221-7225 Preparation of various polymerization catalysts. Report signed by Spiske, dated June 10, 1943, Ruhrchemie A.G., Oberhausen-Holten. (German Patent Appl. V 12,617 IVd/12 o referred to.) (Reproduced also on TOM Reel 289, Frames 1539-1543.)
- 7226-7239 Catalysts for the hydrogenation of carbon monoxide. Report signed by Roelen, dated May 24, 1943, Ruhrchemie A.G., Oberhausen-Holten.
- 7240-7241
7250-7276 These two sets of frames make up complete report on synthesis of hydrocarbons with iron catalysts. Included are: Report by Pffegling, dated Sept. 11, 1940, (Frames 7271-7276 - one table attached). Report by Roelen, dated Sept. 12, 1940 (Frames 7261-7270) and 13 tables, dated Sept. 13, 1940 (Frames 7240-7241, 7250-7260).
- 7242-7249 Report on the investigation of the reaction water from the synthesis over iron catalysts. Report by B chner, dated July 22, 1941. (Five tables attached.)
- 7250-7276 See Frames 7240-7241.
- 7277-7284 Preparation of highly active polymerization catalysts. Report dated April 22, 1943, Ruhrbenzin A.G., Oberhausen-Holten. (Six graphs attached.)
- 7285-7293 Technical preparation of polymerization catalysts. Report signed by Spiske, dated March 10, 1942, Ruhrchemie A.G., Oberhausen-Holten. (One flow diagr. attached.)
- 7294-7295 Apparatus for testing the durability of catalysts. Report signed by Schreiber, dated Oct. 27, 1941, Ruhrchemie A.G., Oberhausen-Holten. (One sketch attached.)
- 7296-7301 Concentrated cobalt-thorium catalysts. Report by Heckel and Roelen, dated Oct. 20, 1941, Ruhrchemie A.G., Oberhausen-Holten. (Two tables attached.)

Frames

- 7302-7307 Two reports on cobalt-nickel catalysts. Reports signed by Roelen, dated Sept. 24, 1941, and Schenk, dated July 22, 1941. Ruhrchemie A.G., Oberhausen-Holten. (Reproduced also on TOM Reel 288, Frames 1119-1121.)
- 7308-7315 Preparation of aluminum silicate catalysts for hydrocarbon cracking. Report signed by Stuhlpfarrer, dated April 16, 1941, Ruhrchemie A.G., Oberhausen-Holten. (Five tables included.)
- 7316-7319 Use of nickel and cobalt-nickel catalysts in the gasoline synthesis. Report signed by Heckel, dated April 4, 1941, Ruhrchemie A.G., Oberhausen-Holten. (One table attached.) (Reproduced also on TOM Reel 288, Frames 914-917.)
- 7320-7345 Production of highly active aromatization catalysts with alumina and chromium oxide as the chief constituents. Report signed by Petri, dated Nov. 5, 1940, Ruhrchemie A.G., Oberhausen-Holten. (Six tables, eight pages of curves and one photo attached.) (Reproduced also on TOM Reel 290, Frames 2252-2276. Photo is missing.)
- 7346-7354 Laboratory experiments concerning the detrimental influence of steam on aromatizing catalysts. Report signed by Kolling, dated Nov. 18, 1940, Ruhrchemie A.G., Oberhausen-Holten. (Two pages of curves attached.) (Reproduced also on TOM Reel 289, Frames 1619-1627 and TOM Reel 290, Frames 2161-2169.)
- 7355-7363 Testing of catalysts under pressure, with special considerations for conditions of synthesis on a large technical scale. Tests carried out by Klassen, report dated June 11, 1940, Ruhrbenzin A.G., Oberhausen-Holten. (Two diags. attached.)
- 7364-7365 Cracking of petroleum. Conference report by Knöllinger, dated Oct. 6, 1945, Ruhrchemie A.G., Oberhausen-Holten. (One flow diagr. attached.)
- 7366-7370 Catalytic cracking. Two conference reports signed by Tramm, dated June 21, and June 23, 1939.