

FILM STUDY GROUP

SUBJECT INDEX

T.O.M. REEL NO. 9

Prepared by

PHILLIPS PETROLEUM COMPANY

INDEX

46

Technical Oil Mission Microfilm Reel No. 9

Articles translated will carry "TR" before their frame number(s), and those abstracted will have their frame number(s) preceded by the letter "A". Articles listed by title only will carry no letter preceding the frame number(s).

<u>Subject</u>	<u>Reel</u>	<u>Item</u>	<u>Frame(s) within the Item</u>
<u>Air-oil mixtures</u>			
See <u>Oil-air mixtures</u>			
<u>Ash content(s)</u> and melting points.	9	16	TR5-7
<u>Balance sheet(s)</u> chlorine, for sump-phase chambers.	9	13	26
chlorine, pitch compartment (See <u>Pitch compartment chlorine balance sheets</u>)	9	7	A1
for coal extraction.		19	A28
for coal extraction.		19	27
			29-30
pitch compartment (See <u>Pitch compartment balance sheets</u>)			
plant extraction (See <u>Plant extraction balances</u>)			
product-, for sump-phase chambers.		8	A1
vapor phase (See <u>Vapor phase balance sheets</u>)			
<u>Balances and Yields</u> (See <u>Yields and balances</u>)			
<u>Benzin.</u>			
CV2b, Scholven-, refining and redistillation of.	9	6	44
<u>Cadmium sulfide</u> determination of, with potassium ferricyanide.	9	10	TR158-62
<u>Chlorine</u> distribution of, among fractions of the material from the liquid trap.	9	19	66
<u>Chlorine balance sheets, pitch compartment-</u> (See <u>Pitch compartment chlorine balance sheets</u>)			
<u>Coal</u> dried ground, charged to extraction, examination of,	9	13	9, 13 24-5
dry, residual, from the extraction process at Welheim, examination of,		13	7
moist residual, with and without addition of water vapor, expulsion of solvent from,		16	8-9

<u>Subject</u>	<u>Reel</u>	<u>Item</u>	<u>Frame(s) within the item</u>
<u>Coal</u>			
moisture and ash contents of,	9	13	31
residual, analysis of, on ash			
free basis	9	13	8
residual, data on,	9	13	30
residual, from extraction, pay-			
ment for	9	14	67
<u>Coal chambers</u>			
at Poelitz, precipitation in,	9	10	49
<u>Coal decomposition</u>			
data on products of,	9	13	32
with middle oil	9	19	15
with Welheim heavy gasoline	9	19	41-50
<u>Coal extract</u>			
analysis of, on ash free basis	9	13	8
evaluation of,	9	14	69
examination of,	9	13	10
			14
			22-3
flow sheet for production and hydro-			
genation of,	9	19	5
precipitation of, from pure filtrate			
with normal gasoline,	9	19	67
price of,	9	14	66
price of,	9	14	88
separation of solvent from mixture			
of solvent and,	9	19	51-6
solidification point curves for mix-			
tures of,	9	19	40
Welheim plant for recovery of,	9	14	31-4
<u>Coal extraction</u>			
balance for,	9	14	27
		19	6-7
		19	13-14
	9	19	27
			29-30
balance sheet for,	9	19	A28
calculations on,	9	19	16-19
continuous	9	19	23-6
cost estimates for,	9	14	37-41
cost estimates for,	9	14	62-3
estimates on expansion of plant for	9	14	79-87
expansion of plant for,	9	14	50-2
experiments on,	9	19	11-12
experiments on, in the absence of acid			
oils	9	19	91-107
experiment with special solvent, plan			
for,	9	19	21-2
filtrate from, properties of,	9	19	39
flow sheet for process of,	9	14	90

<u>Subject</u>	<u>Reel</u>	<u>Item</u>	<u>Frame(s) within the Item</u>
<u>Coal extraction (continued),</u>			
paste for, experiments on preparation of,	9	19	31-6
pressure experiments on,	9	19	86-9
solvent for, before and after passage through extraction chamber in the presence and in the absence of hydrogen,	9	19	8-10
solvent for, regeneration of,	9	14	A42-4 A45-8
<u>Coal hydrogenation,</u>			
analysis,	9	19	4
analysis of extracted gas,	9	13	6
analysis of gas before and after extraction		13	1-3
after - concentration distillate from,		13	29
at 700 atm., extraction and fractionation of gaseous products, comparison of,		10	110-18
crude decomposition product,	9	19	68-77
data on operation of 700 - atmosphere unit, corrosion by chlorine, addition of sulfur, and increased partial pressure of hydrogen sulfide	9	10	119-24
establishment of standard methods for examining raw materials, intermediates, and products in,	9	10	138-44
examination of extracted off - gas	9	13	12
gas - phase, of material from liquid separator at 500-600 atm., experimental results of,	9	19	A3
pre - concentration distillate from,	9	13	28
and production of extract, flow sheet for,	9	19	5
ump - phase, at 700 atm., flow sheet for,	9	10	A8
ump - phase, system, conditions in which gas hydrates formed in,	9	10	A4-7 43-4
system of analysis of raw materials, intermediates, and products in,	9	10	145-52
<u>Coal hydrogenation chambers,</u>			
extract, - at Welheim, K - values for the regeneration unit and the pre-heater of,	9	10	130-3
extract, - at Welheim, resistance coefficients for,	9	10	134-7
700 - atmosphere, gas circulation for, with special references to measurement technique,	9	10	36-42

<u>Subject</u>	<u>Reel</u>	<u>Item</u>	<u>Frame(s) within the Item</u>
<u>Coal hydrogenation experiments,</u> with Welheim sump-phase middle oil.	9	17	1-13
<u>Coal hydrogenation extract,</u> and electrode coke, flow sheet for production of,	9	14	A30
process for recovery of,	9	14	A35
<u>Coal hydrogenation plant, Poelitz,</u> partial removal to chalk quarry on Ruegen Island.	9	14	TR1-2
partial removal to chalk quarry on Ruegen Island.	9	14	TR3-14
<u>Coal hydrogenation plants,</u> report on lubricants in,	9	10	70-5
<u>Coal tar,</u> (and shale tar), distillation of,	9	6	5-10
<u>Coke, electrode-</u> See <u>Electrode coke</u>			
<u>Coke, extract-</u> , Welheim, analysis of,	9	14	70-8
	9	13	34
<u>Coke plant,</u> electrode-, elevation of, summary of experiments on catalytic pressure-refining of light oil from,	9	14	29
	9	19	1-2
<u>Distillate,</u> Welheim, decomposition with,	9	19	57-9
<u>Distillation,</u> Engler	9	19	37-8
Engler, of an oil,	9	19	90
<u>Electrode coke,</u> cost estimate for, production of, and hydrogenation extract, flow sheet for production of,	9	14	49
	9	14	36
prices for,	9	14	A30
	9	14	88
<u>Electrode coke plant,</u> estimates for expansion of, protection of, from air attacks,	9	14	53-9
	9	14	60-1
<u>Ethylene,</u> and gas oil, orientation experiments on polymerization of,	9	16	10-16
<u>Explosibility,</u> of oil - air mixtures, determination of,	9	16	TR5-7
<u>Extract, coal</u> See <u>Coal extract</u>			
<u>Extraction - naphthalene,</u> hydrogenation of,	9	19	60-2
<u>Extraction, of coal</u> See <u>Coal extraction</u>			

<u>Subject</u>	<u>Reel</u>	<u>Item</u>	<u>Frame(s) within the Item</u>
<u>Extraction unit,</u>			
liquid hydrocarbons other than propane and butane in the expansion gas from,	9	13	A4-5
<u>Filtration experiments,</u>			
precipitation from pure filtrate at various temperatures,	9	18	5
regeneration of filter-candle stones,	9	18	6-7
treatment of pitch-coke oil from Rauxel pitch-coke plants with crude decomposition product and mud,	9	18	2-4
	9	18	1
<u>Fischer - Tropach gases,</u>			
determination of iron carbonyl in,	9	15	1-91 A54
<u>Flow sheet,</u>			
for coal extraction process,	9	14	90
for production and hydrogenation of coal extract,	9	19	5
for production of hydrogenation extract and electrode coke,	9	14	A30
for sump-phase hydrogenation at 700 atm,	9	10	A8
<u>Fractionation units,</u>			
air, prevention of explosions in,	9	10	163-6
<u>Gas,</u>			
7, examination of,	9	13	11 15
<u>Gasholders,</u>			
reasons for using,	9	10	TR60-5 59
<u>Gas hydrates,</u>			
conference on, at Ludwigshaven,	9	10	9-35 45-8
formation of calculations concerning,	9	10	76-90
<u>Gas oil,</u>			
and ethylene, orientation experiments on polymerization of,	9	16	10-16
<u>Gasoline(s),</u>			
crude, from Celsenberg = Benzin A. G., refining tests on,	9	6	42-3
dehydrogenation - refining of,	9	6	41
distillation experiments on,	9	6	3-4
gas-phase, high cut, refining experiments on,		6	21-3
gas-phase, pyridines from,	9	6	28-32
gas-phase, refining of,	9	6	A13-14 A15-17
having different aromatic contents,			
blending experiments with,	9	6	24-7
leaded, from chamber 54, refining of,	9	6	35-40

<u>Subject</u>	<u>Reel</u>	<u>Item</u>	<u>Frame(s) within the Item</u>
<u>Gasoline(s)</u> , (continued)			
production of, production and balances for,	9	9	A1-7
raw, refining of,	9	6	2
recovered from middle oil converted during extraction, refining of,	9	6	18-19
recovered over Catalyst 391, refining tests on,	9	6	33-4
refining of, with sulfuric acid.	9	6	1
Techinkum-, recovered over catalyst 7019, refining tests on,	9	6	45-6
Technikum-, refining tests on,	9	6	47-9
<u>Heat exchangers</u>	9	14	17-18
conference on,	9	10	50-3
<u>Hydrates, gas,</u>			
formation in sump-phase hydrogenation system,	9	10	A4-7 43-4
<u>Hydrocarbons,</u>			
liquid, other than propane and butane in the expansion gas from the extraction unit,	9	13	A4-5
<u>Hydrogen sulfide,</u>			
determination of, with potassium ferri- cyanide.	9	10	TR153-7
<u>Hydrogenation,</u>			
of coal (See <u>Coal hydrogenation</u>).			
of extraction - naphthalene	9	19	60-2
of pitch (See <u>Pitch hydrogenation</u>)			
<u>Inert gases,</u>			
prevention of explosions by addition of,	9	16	TR5-7
<u>Iron carbonyl,</u>			
determination of, in Fischer-Tropsch gases,	9	15	A54
<u>Liquid separator,</u>			
results of gas-phase hydrogenation of material from,	9	19	A3
<u>Liquid trap,</u>			
material from, composition of and distillation products from,	9	19	64-5
material from, distribution of chlorine among fractions of,	9	19	66
<u>Lubricants,</u>	9	10	67-8
in hydrogenation plants, report on,	9	10	70-5
<u>Middle oil,</u>			
charging of, to the 700 - atmosphere sump-phase chambers,	9	14	64-5
coal decomposition with,	9	19	15
forms for reporting analysis of,	9	13	16-21
hydrogenation experiments with Welheim sump-phase,	9	17	1-13
and phenols, corrosion experiments with,	9	16	1-4

<u>Subject</u>	<u>Reel</u>	<u>Item</u>	<u>Frame(s) within the Item</u>
<u>Middle oil, A-</u> from pitch liquefaction, examination of,	9	13	27
<u>Middle oil, extraction-</u> cost estimates for regeneration chamber for,	9	14	89
regeneration of, at high pressure in a special gas-phase chamber,	9	14	19-26
<u>Mineraloelbau,</u> conference with,	9	14	TR15-16
<u>Isd,</u> distillation of,	9	6	11-12
<u>Naphthalene, extraction-</u> hydration of,	9	19	60-2
<u>Oil - air mixtures,</u> determination of explosibility of,	9	16	TR5-7
<u>Oil, anthracene,</u> from tar plant.	9	19	63
<u>Oil, coal-</u> from an extraction chamber, data on,	9	13	33
<u>Oil, light</u> from the coke plant, summary of experi- ments on catalytic pressure-refin- ing of,	9	19	1-2
<u>Oil, middle</u> See Middle oil			
<u>Paste press(es),</u> for use at 700 atmospheres, information on,	9	10	TR101-8
<u>Phenols,</u> and middle oil, corrosion experiments with,	9	16	1-4
<u>Pitch compartment balance sheets,</u> carbon and hydrogen balance,	9	8	53-6
chlorine and soda balance.	9	8	86
composition of gasified material from sump-phase and from gas-phase chambers.	9	8	22-3 34-7 62-4 67-9
decomposition of solids in sump-phase chambers.	9	8	12
hydrogen balance.	9	8	20 87 90
hydrogen balance for oil products.	9	8	88, 91
product balances for sump-phase chambers.	9	8	2-11, 13-19 21, 24-33 38-52, 57-61 65-6, 70-84 76, 89

<u>Subject</u>	<u>Reel</u>	<u>Item</u>	<u>Frame(s) within the Item</u>
<u>Pitch compartment chlorine balance sheets,</u>			
chlorine and sulfigran balance.	9	7	29
chlorine balances for pitch compart-			
ments.	9	7	2-26
chlorine compounds in Rubroel products.	9	7	27-8
chlorine determinations in Helheim pro-			
ducts.	9	7	30
<u>Pitch hydrogenation,</u>			
system of analysis of raw materials, inter-			
mediates, and products in,	9	10	142-52
<u>Pitch liquifaction,</u>			
examination of A - middle oil from,	9	13	27
<u>Plant extraction balances,</u>			
balance sheet for coal extraction.	9	12	48-50
extraction reports.	9	18	1-24 26-42 44, 46 47 51-73
personnel report.	9	12	43, 45
solvent stocks.	9	12	25
<u>Polymerization,</u>			
of ethylene and of gas oil, orientation			
experiments on,	9	16	10-16
<u>Potassium ferricyanide,</u>			
for determination of cadmium sulfide.	9	10	TR158-62
for determination of hydrogen sulfide.	9	10	TR153-7
<u>Press, paste</u>			
See Paste press			
<u>Pressure stabilization,</u>			
of condensate.	9	10	54
<u>Products,</u>			
of the Verkaufsvereinigung fuer			
Teererzeugnisse, specifications			
for,	9	20	1-49
<u>Pyridines,</u>			
from gas-phase gasoline.	9	6	28-32
<u>Reagents,</u>			
organic, for metals.	9	20	50-79
<u>Refining,</u>			
catalytic pressure, of light oil			
from coke plant, summary of ex-			
periments on,	9	19	1-2
of a dehydrogenation gasoline.	9	6	41
of gasolines recovered from middle			
oil converted during extraction.	9	6	18-19
of gasoline with sulfuric acid.	9	6	1
of gas-phase gasoline.	9	6	A13-14
of gas-phase gasoline.	9	6	A15-17

<u>Subject</u>	<u>Reel</u>	<u>Item</u>	<u>Frame(s) within the It</u>
<u>Refining, (continued)</u>			
of leaded gasoline from chamber 54.	9	6	55-40
of raw gasoline.	9	6	2
and redistillation of Scholven - Benzol zin GV2b.	9	6	44
<u>Refining experiments,</u>			
on high-cut gas-phase gasolines.	9	6	21-3
<u>Refining tests,</u>			
on crude gasoline from Gelsenberg - Benzin A. G.	9	6	42-3
on gasolines recovered over catalyst 391.	9	6	33-4
on Technikum gasolines.	9	6	47-9
on Technikum gasoline recovered over catalyst 7013.	9	6	45-6
<u>Regeneration chamber,</u>			
for middle oil extract, cost estimate for,	9	14	89
<u>Separation systems,</u>			
liquid, for pump- and vapor-phase operations.	9	10	55-8
<u>Shale tar</u>			
See Coal tar.			
<u>Solidification-point curves,</u>			
for extract mixtures.	9	19	40
<u>Solvent distribution,</u>			
among crude decomposition, filtration, distillation, and cooling.	9	19	108
<u>Solvent extraction,</u>			
See Extraction solvent.			
<u>Sump-phase,</u>			
chlorine balance for,	9	7	A1
product balance for,	9	8	A1
<u>Sump-phase, chamber,</u>			
700 - atmosphere, charging middle oil to,	9	14	64-5
<u>Sump-phase hydrogenation,</u>			
at 700 atm., flow sheet for,	9	10	A8
<u>Sump-phase hydrogenation system,</u>			
conditions in which gas hydrates formed in,	9	10	44-7, 43, 4
<u>Sump-phase middle oil</u>			
Welheim, hydrogenation experiments with,	9	17	1-13
<u>Tar, coal</u>			
See Coal tar.			
<u>Tar plant,</u>			
anthracene oil from,	9	19	63
<u>Temperatures,</u>			
of preheater outlet, measurement of,	9	10	1-3

<u>Subject</u>	<u>Reel</u>	<u>Item</u>	<u>Frame(s) within the Item</u>
<u>Vapor phase balance sheets,</u>			
hydrogen balance for chamber 54a.	9	9	40-3 51-4
investigation of charge and of liquid from liquid separator.	9	9	44
monthly product balances for vapor-phase chambers.	9	9	8-39 45-50 55-73
<u>Fields and balances,</u>			
accumulation of hydrogen sulfide and ammonia.	9	11	6-7
calorific value of residual gas from the Linde Unit.	9	11	8-11
sulfur balance.	9	11	1-5