

REPORT NO.

INDEX - MICROFILM - REEL - 106  
(Orig. Ident. AD1(K) 48-C - C 67 - Part I)

B. 28 31	Compressibility of Hydrocarbons	29.7.43
B. 29 33	Investigation of the light Fire-brick boards "Anna werk LO, 9/26/2" of the hydrogenation plant "Politz"	30.11.43
B. 30 34	Investigation of the light Fire-brick "Anna werk, Feinkorn Spezialqualitat". Test I.	30.11.43
B. 32 302	Test of 2 distilled oils with a view to their possible use in engines	10.12.40
B. 34 304	The influence of aromatic, naphenic, ether and alcohol compounds on the overload capacity (knock resistance?) of a base gasoline	19.2.41
B. 35 305	About the temperature and lead sensitivity of fuel mixtures of 60 VT 705 and 40 VOL % ET. 100 CV26-Aromatics respectively	3.3.41
B. 36 D 306	Testing of lubricant L 45 by ring sticking experiments	8.5.41
B. 37 307	About injection of liquids of low viscosity against high back pressure	25.6.41
B. 38 308	Ring sticking behavior of mixtures with aromatics	25.7.41
B. 39 311	About the test of a brown coal-tar-oil from the coal refining and distillation company in Somja-Hesselmann Motor	27.9.41
B. 40 312	Measurement of cetane numbers above 100	5.11.41
B. 41 313	About the influence of Ethylene Bromide on octane number	15.12.41

REPORT NO.

B. 42 315	About the test of a Brown coal tar oil from the Hefrag Brown coal and distillation plant, Hessen-Frankfurt A. G. Woelfersheim, in a Somua-Hesselman-Motor	26.1.42
B. 44 317	About small supercharged engines with reference to the DVL super-developed charge system on the B.M.W. 132-N-one cylinder engine	23.2.42
B. 45 318	On the use of Methane in automobile engines	3.3.42
B. 46 319	Evaluation of aviation fuels in the I. G. test engine	26.3.42
B. 47 320	On the investigation of two heating oils D 635 and D 636 in the Somua-Hesselman Motor (Comp. summarized reports Nos. 311 and 315)	26.4.42
B. 49 322	On a small capacity gasoline burner	8.6.42
B. 51 324	On the testing of a synthetic lubricant K 10 r in road vehicles	20.7.42
B. 52 325	On the investigation of the ignitability of charcoal by means of electric battery current	30.7.42
B. 53 326	On vapour pressure determinations of ethers and hydrocarbons at low temperature	27.6.42
B. 54 326	On tests of corrosions of lead and lead oxide on valve stems	15.7.42
B. 55 328	On the viscosity of a few gasolines at low temperature	7.8.42
B. 57 332	On the influence of various bromides on the octane number	17.8.42
B. 58 333	On the thermal decomposition of lead and tetraethyl in leaded gasoline	17.8.42
B. 63 338	About the relationship between density, knock-resistance and the incipient knock curves of knocktesting engines	22.8.42
B. 65 341	About the behaviour of dissolved water in the Otto-fuels. At low temperatures	31.8.42
B. 66 343	About the low temperature properties of Gylsantin-water mixtures	9.9.42
B. 67 344	About tests with carbon-tetrachloride in gasolines	11.9.42
B. 68 345	About calibration of 3 rotating piston type gas meters by means of an orifice (measuring)	22.9.42
B. 70 D 347	About the dependability of the starting properties on the cetane number in diesel fuels	2.10.42
B. 71 348	On glow-materials for prolonged heating of apparatuses	30.9.42

REPORT NO.

B. 72 352	On tests of resistance of "Cottonid" and "Sack" fuel containers against water and organic solvents	4.11.42
B. 73 353	On the corrosion of molten sodium on various metals	23.11.42
B. 74 D 354	The behaviour of lubricants at low temperature	23.11.42
B. 75 355	Determination of octane number by the ignition delay method on the I.G. test diesel	23.11.42
B. 76 356	On the determination of octane number of driving gases	14.1.43
B. 78 359	On an electromagnetic meter for rapidly subsiding current impulses	5.2.43
B. 79 D 360	On the durability of an oil film on cylinder wall	23.2.43
B. 81 D 364	Tests on the draining of lubricant from main tanks of the D.B. 605	23.3.43
B. 82 365	The preparation of the glow-material TP 12	26.3.43
B. 83 366	On the properties of diisopropylether as an aviation fuel	30.3.43
B. 84 367	On the uniformity of ignition spark timing (relative to knock rating)	20.7.43
B. 85 368	Testing of an acid resisting coating for "connective" warming-up boxes" (Cold weather starting)	2.7.43
B. 86 370	Test of the Connective warming-up lamp Dorfet"	13.7.43
B. 87 D 371	On the improvement of the lubrication system on the BMW 132-single cylinder motor	17.7.43
B. 88 372	About tests of corrosion protective material EO 1/136 Na	20.8.43
B. 89 D 373	About "Oppanol" as an additive for winter auto oils	5.8.43
B. 91 375	About an apparatus for temperature measurement	13.9.43
B. 92 376	About the Iodometric method for the determination of "E.T.A." by O. Widmaier	19.10.43
B. 95 379	Testing of a corrosion protective material of fuel tanks	20.10.43
B. 96 380	About the properties of Pinacol as a knock resistive additive for aviation fuels	21.10.43
B. 97 383	Properties of chemical compounds added to fuel and oil to cause motor interference	26.11.43
B. 98 384	A 10 hour test on the BMW 132, one cylinder supercharged engine with leaded Iso octane	21.12.43
B. 101 387	Test for improvement of diesel fuels by increasing their ignitability. (abstract of the joint labor reports NR. 1671 "Ammonlabor" Technischer Prufstand, Oppau)	25.1.43

REPORT NO.

B.102	388	The supercharge testing of aviation fuels according to Vollmotor requirements	11.2.44
B.104	390	Some fuel components and their most important characteristics	22.2.44
B.105	392	The "AFD" test method on the CFR. machine for testing aviation fuels with octane number greater than 8	3.4.44
B.106	393	The testing of fir-cone briquettes	6.5.44
B.107	395	Ignition tests on the BMW single tube combustion chamber	20.5.44
B.108	396	Knock behaviour of glycols and glycol-ether	23.5.44
B.110	398	The conversion of a four cylinder gas engine in the Op 12 water works	15.6.44
B.111	399	The improvements of the overload knock behaviour by addition of Aniline and substitute Aniline	20.12.44
E 20	244	Report on tests with Diethyl Peroxide as additive for gas oil and coal tar oil	23.5.32
I 21	246	Report on tests with Di-acetylene as additive to Diesel engine motor-oils (taroil and gasoil)	29.7.32
I 23	251	Reports on tests with various addition agents to the fuel for the purpose of improving the odor of the exhaust gases	10.2.33
I 24	252	Report on the knock behaviour of tar-oil and Diacetyl additive after prolonged storage of the mixture	27.1.33
I 26A	255	Investigation of the knock behaviour of Polymerized gasolines by the supercharge methods in J. G. Test Engine	6.3.42
I 33A	270	Report on "Kethanol" as fuel	27.7.34
I 34	277	Test report with the Jentsch ignition value tester	30.1.35
I 35	279	Report on the behaviour of lubricating oil when working with methanol (as fuel)	15.2.35
I 36	285	Report on the operation of a "Hanomag-Motor" by injection of Methanol in the working cylinder	5.4.35
I 37	286	Report on the test of reducer valves for the running of truck motors with gas (propane and butane)	30.4.35
I 38	288	Report on the starting of motors working on Methanol	25.4.35
I 39	289	The present state of knowledge of lead tetra ethyl gasoline	28.4.35
I 40	290	Report on the influence of compression ratio when working with methanol measured on a one-cylinder motor (carburetor system)	3.6.35

REPORT NO.

I-41. 291	Report on comparison tests on the I.G. Knock testing machines	8.7.35
I-42. 292	Report on comparison tests on the CFR motors of the I.G.	18.7.35
I-43. 294	Tests on the behaviour of spark plugs when using methanol as fuel	2.9.35
I-44. 295	Report on the necessary ignition voltages in the methanol and gasoline operation. (Measurement with ionized spark gap)	13.12.35
I-46. 298	Report on tests with aviation engine oils in BMW engine, V test series	1.9.36
I-46A. 298g	Report on test with aviation engine oils in BMW engine, VIII test series	27.12.38
I-46B. 298f	Report on test with aviation engine oils in BMW engine, VII test series	15.6.37
I-46C. 298e	Report on engine test with aviation engine oils in BMW engine, VI test series	3.11.36
I-47. 299	Report on a test engine with variable compression ration in operation. (Varie-engine)	5.12.35
I-48. 300	Report on the investigation of fuels 1935. (Correlation of half-yearly compilation of test results)	17.1.36
I-49. 301	Report on pressure drop in absorbents. Silica Gel from Oppau	21.1.36
I-50. 302a	Report on further tests with a converted automotive Diesel engine, Daimler-Benz, pattern OM 67 operating on methanol	23.6.36
I-50A. 302	Report on conversion of an automotive Diesel engine, Daimler-Benz, pattern OM 67, operating on methanol	9.3.36
I-52. 305	Report on comparative test with the I.G. test apparatus	16.6.36
I-53. 306	Report on reference gasolines for knock value determination	3.7.36
I-54. 307	The I.G. test engine for the determination of knock rating of light fuels. Part 1. Comparative tests	1.3.38
I-55. 308	Report on the low temperature testing of aviation oils and olive oil	13.8.36
I-56. 309	Report on tests with TZ 900 as a fuel for gas engines	27.8.36
I-57. 310	Report on tests on heavy oil evaporators with porous stone and with a coil (ultra-evaporator)	18.9.36
I-59. 313	Report on the behaviour of a heavy oil as Diesel fuel	28.10.36

REPORT NO.

I 60 315	Report on tests with protective compounds against corrosion with lead tetraethyl	2.11.36
I 61 316	Report on "Dodekan" as a motor fuel for injection working	27.9.36
I 62 317	Report on the conversion of a Daimler-Benz Diesel engine, Munster OM 59, to evaporator working with methanol	16.11.36
I 63 318	Report on running tests with oils and without Oppanol additive	25.11.36
I 65 320	Running tests on the wear of Buna tyres and natural rubber tyres	8.12.36
I 66 321	Report on graphite tests in the Otto-engine	9.12.36
I 67 322	Report on tests with lubricating oil for two stroke engines	28.12.36
I 69 325	Report on running tests with synthetic lubricating oil	14.1.37
I 70 326	Report on the investigation of light fuels 1936. (Correlation of the yearly compilation of individual investigation results)	26.1.37
I 71 327	Tests with Nitrated Pott-extract as fuel for the coaldust Diesel engine	8.3.37
I 72 328	Report on tests on the Hesselman-engine. Investigation of various fuels and injection nozzles	10.3.37
I 72 331	Report: Investigation on the use and Knock behaviour of various fuels in the Hesselman engine with suction and compression stroke injection as well as in operation with carburetor	25.6.37
I 74 332d	Report on temperature measurement on car tyres (summarizing report)	15.6.38
I 74A 332o	Report on temperature measurement on car tyres (3 test run of the military council)	1.2.38
I 75 333	Short report on the Thermal Decomposition of T.E.L. in leaded gasoline	17.8.42
I 76 334	2. Report on tests on the coal dust Diesel engine	7.7.37
I 78 336	Report: Tests on the Diesel engine with viscous and solid fuels, such as TZ 900, gas oils with wax additive and paraffin	11.8.37
I 81 341	Report on the comparison process for "Ottomotor" designed for the use of Methanol and "Benzol" as fuels	30.11.37
I 81A 341	Summarized report of the behaviour of the dissolved waters in "Otto" fuels at low temperatures	31.8.42
I 82 342	Introductory report on tests with spark plugs by "Motalin" System	18.12.37

<u>REPORT NO.</u>		
I 83 348	Test report on the coal dust Diesel engine.	28.2.38
I 84 350	Summarized report on an evaluation of the IV comparison test installations (compare DVL report No. 677)	24.10.42
I 85 356a	Report on tests with various lubricating oils in "Opel-motors" Test series 11	15.2.39
I 86 361	Report on tests of deflection apparatus for cathode ray tubes	20.10.38
I 87 362	Report on the development of the "I.G." test motor	21.10.38
I 88 363	Report on the variation of indicated pressure in the Diesel engine, with gas oil and two hydrogenation products. Influence of compression and injection instant	10.11.38
I 89 364	Report on the heat reaction by the polymerization of olefins	5.12.38
I 90 365	Report on tests of "Igenil" as bearing material	10.12.39
I 91 366	Report on Ray measurements on the "Hesselmann motor" by means of photocell and cathode ray oscillograph	30.12.38