

INDEX - MICROFILM REEL 201
(Original designation LF 99)

GENERAL SUBJECT

HOCHDRUCKVERSUCHE LABORATORIES.
File of Dr. Simon. Papers on
Hydrogenation, Aromatization,
and Paraffine Oxydation.

Source of documents: Griesheim Central
I. G. Library.

Folder No. S-32/VII-D-2
 S-32/VII-D-1
 S-32/III-D-6
 S-29/X-D-3

Filmed by: J I O A

Date: 28.1.46.

I.
Hochdruckversuche Laboratories.
 Papers on hydrogenation. File of
 Dr. Simon.

<u>Item</u>		<u>FRAME NOS.</u>
1	Influence of the temperature on the reactions taking place during the hydrogenation of bituminous coal liquefaction middle oil over catalysts 5058, 7846, and 8376.	1 - 20
2	Contribution to the theory of sumpfphase.	21 - 24
3	Benzination of DHD-residue	25
4	Experiments concerned with the testing of the motor behavior of auto hydrogenated polymer gasoline.	26 - 28
5	Report on activities, October 1943.	29 - 35
6	Pressure refining of sumpf gasolines at different temperatures.	36 - 39
7	Experiments on the isomerization n-heptane from normal heptane by means of catalysts 5058 in the rotary autoclave.	40 - 41
8	Gas phase catalysts.	42 - 43
9	Recent investigations into the field of benzination catalysts.	44 - 48
10	Concerns: Backflow due to the collapse of a high pressure pipe line.	49 - 51
11	The influence of the products partial pressure on the aromatisation of bituminous coal liquefaction middle oil Scholven over alumina-Terrana catalyst 8688.	52 - 56
12	The influence of the nitrogen contents of oils on their capability to be benzinated.	57 - 64
13	Removal of the heat of reaction in gas phase hydrogenation by pumping the circulating gas while hot.	65 - 67
14	The testing of regenerated 6434 catalysts.	68 - 69
15	Experimental basis for the working of heavy oils with solid catalysts.	70
16	The influence of sulfur addition on the 250 atms. aromatisation of bituminous coal liquefaction middle oil with alumina Terrana catalyst.	71

ItemFRAME NOS.

17	The influence of adding organic nitrogen compounds on the results of benzination of crude oil-gas oil over catalyst 6434.	72 - 76
18	The effects of W, Ni, Co and Fe as active components on alumina pre-hydrogenation catalysts.	77 - 85
19	Our supply of liquid fuels.	86 - 104
20	The mechanism of hydrogenation - catalysis.	105 - 108
21	Gasoline from bituminous coal via fuel oil - Diesel oil. Estimate.	109 - 110
22	Decreasing and increasing temperature during the hydrogenation of Upper Silesian bituminous coal.	111 - 112
23	Centrifugal experiments with sludge from the tar chamber Brux.	113 - 114
24	The action of sodium sulfide on stripper heavy oil.	115 - 116
25	New benzination catalysts. Benzination catalysts free from tungsten of the oxide-fluoride of Si, Al, and Fe type.	117 - 121
26	Benzination of P 1203/8376 B-M' oil over 6434 & 8797.	121 - 127
27	Contribution to the theory of ash-balance.	128 - 131
28	Ash balances of autoclave experiments with bituminous coals.	132 - 140
29	The heating up of cracking residues.	141 - 143
30	Replacement of ammonium chloride with Scholven coal.	144 - 146
31	Analysis of low temperature carbonization residue from shale for their possible use as sumpf phase catalysts.	147 - 150
32	Older hydrogenation experiments with arsenic compounds	151 - 153
33	Starting of coal hydrogenation in the Sumpf phase.	154 - 156
34	Measurements concerning heat transfer in bituminous coal paste.	157 - 158
35	About the question of the starting temperature.	159 - 160

<u>Item</u>		<u>FRAME NOS.</u>
36	Influence of the nitrogen content on the capability of oils to be benzinated.	161 - 163
37	Note on the production of iso-heptane from normal heptane at 50 atms. over catalyst 5058 with hydrochloric acid addition.	164
38	Isomerisation of hydrocarbons.	165 - 168
39	The butane and iso-butane contents in the gases from benzination and aromatisation with bleaching earth catalysts.	169 - 170
40	Working of bituminous coal liquefaction middle oil over pre-hydrogenation/7846 W 250, benzination and DHD.	171 - 188
41	The influence of temperature on the results of the pre-hydrogenation with concentrated and diluted catalysts.	189 - 190
42	Dehydrogenation and refining of polymer gasoline	191 - 193
43	Influence of the addition of organic nitrogen compounds on the results of the benzination of crude oil-gas over catalyst 6434 II.	194 - 196
44	Requirements in rare metals in the gaseous phase with these production methods for gasoline which are most important at the present time.	197 - 204
45	Influence of the re-cycle ratio on the 250 atm aromatisation of bituminous coal liquefaction middle oil over alumina-Terrana catalyst 8688.	205 - 213
46	The dependence of knocking properties of gasoline and gasoline fractions on the starting material.	214 - 222
47	The behavior of acid and basic components of bituminous coal liquefaction middle oil during the prehydrogenation with alumina catalysts.	223 - 227
48	Working of vacuum distillate from stripper heavy oil at 600 atm. over solid-bed catalyst for Diesel oil with low pour point.	228 - 232
49	Splitting of heavy stripper oil from bituminous coal over solid-bed catalyst at 250 and 600 atm.	233 - 244
50	Calculations bearing on the question 300 vs. 700 atm.	245 - 247

<u>Item.</u>		<u>FRAME NOS.</u>
51	Improvement of the low temperature carbonization yield in the separator.	- 249
52	Testing of some new pre-hydrogenation catalysts.	250
53	Prehydrogenation of P 1271 with catalyst 8807/8376 and 8806/8376.	251 - 253
54	Laboratory and industrial experiments aiming at increase in the yield in low temperature carbonization oil during the low temperature carbonization of asphalt containing residues.	254 - 257
55	Relations between coal analyses and behavior during hydrogenation.	258 - 262
56	The influence of the sulfur addition on the benzination over catalyst 6434.	263 - 265
57	Cristallographic report on ammonium sulfotungstate.	266 - 268
58	Experiments in the 1 ltr. furnace with sulfur as Sumpf phase catalyst.	269 - 274
59	Notes on the splitting effect of WS.	275
60	Possible replacement of ammonium chloride in the hydrogenation of Ruhr coal.	276 - 278
61	Influence of the size and density of the catalyst pills on the benzination and prehydrogenation with catalyst 5058.	279 - 289
62	Filtration of sludge with the addition of higher alcohols from the iso-butylalcohol production.	290 - 291
63	Autoclave experiments aiming at the splitting of paraffines with tungsten sulfide by means of hydrogenation.	292 - 310
64	New results concerning the lattice disturbance of the active tungsten sulfide.	311 - 315
65	Experimental results with tungsten catalysts.	316 - 319
66	Tungsten oxides.	320 - 325
67	Research into the principles of catalysis.	326 - 327

68.	Addition of sodium sulfide in the hydrogenation of bituminous coal.	328 - 355
69.	Sulfur absorption of the unsulfurated Bayer mass under high pressure.	356 - 358
70.	Sensitivity to nitrogen and other disturbance. A comparison between catalysts 8797 and 6434.	359
71.	Extended prehydrogenation tests of bituminous and brown coal liquefaction middle products over catalyst 8376 - 7846 W. 250 without sulfur addition to the products.	360 - 367
72.	New benzination catalysts.	368 - 381
73.	Catalyst 5058 in combination with catalyst 7846.	382 - 384
74.	Experiments in the 1 ltr. furnace aiming at the splitting of stripper heavy oil from bituminous coal at 250 atm. with solid-bed, regenerable catalyst.	385 - 398
75.	Determination of aromatics in gasoline by light absorption measurement.	399 - 400
76..	Production of gasoline from petrolatum or propane de-asphalted and de-waxed vacuum residue from German crude oil.	401 - 403
77..	Hydrogenation of old aviation lubricant. (1580)	404 - 409
II-1	Conference with OHW at Ludwigshafen on the 25th of October 1943. Subject: Results obtained with small scale apparatus.	410 - 413
2	Directions for the mode of construction of high pressure hydrogenation chambers.	414 - 415
3..	Exchange of experience: Sieve analysis of coal and coal paste.	416 - 417
4	Electric pre-heaters, Chamber 2.	418 - 423
5	Exchange of experience: electric pre-heaters.	424 - 427
6	Exchange of experience: electric pre-heaters.	428 - 429

Item
II - Cont'd.

FRAME NOS.

- | | | |
|----|---|-----------|
| 7 | Questionnaire for collecting the data necessary for calculating gas hydrogenation products. | 430 - 454 |
| 8 | Exchange of experience on Dec. 4, 1941, at Ludwigshafen. | 455 - 470 |
| 9 | Comparison of the working conditions of some hydrogenation plants. | 471 |
| 10 | Basic data for the hydrogenation of various crude materials. | 472 - 474 |
| 11 | Calculation of the amount of hy-gas which is likely to accrue in the bituminous coal hydrogenation "Hibernia". | 475 - 532 |
| 12 | Fuel oil conference at Scholven on 5 Jan. 1942. | 533 - 535 |
| 13 | Fuel oil conference at Gelsenberg on 5 Jan. 1942. | 536 - 539 |
| 14 | Regeneration of bituminous coal paste. | 540 - 542 |
| 15 | Increasing the low temperature carbonization yield by addition of catalysts and surplus steam. | 543 - 549 |
| 16 | Report on a conference held at the premises of Mineralöl-Paugesellschaft Limited Co., Berlin, on the 14th, 2, 1941. Subject: Coal preparation plants. | 550 - 554 |
| 17 | Conference at Scholven. | 555 - 560 |
| 18 | Heating up by means of super-heated hydrogen. | 561 - 563 |
| 19 | Relief of the Sumpf phase pre-heaters. | 564 - 575 |
| 20 | The chemical composition of the crusts formed in the pre-heaters. | 576 - 578 |
| 21 | Velocities in the high pressure furnaces. | 579 - 581 |
| 22 | The gas circulation in 700 atm hydrogenation chambers, particularly from a point of view of measuring technique. | 582 - 588 |
| 23 | What is to be found in the literature on gas hydrogenation products? | 589 - 597 |

<u>Item</u>		<u>FRAME NOS.</u>
II - Cont'd.		
24	Exchange of experience: gas hydrogenation products.	598 - 611
25	High pressure experiments.	612 - 613
26	Hydrogen partial pressure in the 7019 gas circulation.	614 - 623
27	Comparison of the costs of 7019, 5058 and 6434 chambers.	624 - 630
28	Solubility of the hydrogenation components in the Sumpf phase in the bituminous coal hydrogenation at 700 and 300 atms.	631 - 635
29	Possibility for the production of phenol in the hydrogenation of coal.	636 - 637
III-1	Polycyclic aromatics from hydrogenation products.	638 - 653
2	Coronen.	654 - 673
3	Aromatisation of bituminous coal liquefaction middle oil Scholven P 1271 at 600 atm. over the new Welheim catalyst (Lu Nr.. 8213) produced at Ludwigshafen.	674 - 679
4	Notes on aromatisation at 250 and 600 atms.	680 - 687
5	Behavior of aromatic and aromatic gasolines on the addition of lead tetra ethyl.	688 - 692
IV - 1	Hydrogenation and low temperature carbonization in the field of synthetic motor fuel production.	693 - 700
2	The present status of the low temperature bituminous coal carbonization and plans for enlargement of the GB Chemie.	701 - 730
V - 1	Ester from the residual acids of paraffin oxidation.	731 - 741
2	Experiments aiming at the production of paraffines from tars and brown coal extracts.	742 - 754
3	Experiments aiming at the production of paraffines from tars.	755 - 759

Item
V--Cont'd.

T.O.M. Reels 201 and 202

FRAME NOS.

- 4 Method for the determination of small quantities of dicarboxylic acids in fatty acid mixtures by the use of thallium salts.
- 5 Testing of a soft paraffine of the Werschen-Weissenfelzer Braunkohlen A. G., for its suitability for fatty acid production.
- 6 Saponification and splitting during the cycle of paraffin oxidation products.

760 - 765

766 - 773

774 - 782