

INDEX - MICROFILM REEL 248
(Original designation EM-33)

List of Translations Prepared by
Ministry of Fuel and Power

<u>Document Number</u>	<u>Title</u>	<u>CIOS Reference No.</u>
F.D. 2866/46 It. 1	Use of the Ring Process in the BMW 132 N.	1893/A.1
F.D. 2866/46 It. 1	Wear experiments on in- jection nozzles and com- pression piston with fuel R-300 and gas oil.	1893/A.2

T.O.M. Reel 248

<u>Document Number</u>	<u>Title</u>	<u>CIOS Reference No.</u>
F.D. 2866/46 It. 5	Testing the lubricating capacity of oils in three different apparatus.	1893/A.5
F.D. 2866/46 It. 7	Influence of temperature when operating aero-engines by the Ring Process.	1893/A.9
F.D. 2866/46 It. 8	Revised Test Method for the Investigation of Aviation Fuels (Oppau Method).	1893/A.10
F.D. 2866/46 It. 9	Investigation into the stability of aero-engine lubricants at low temperatures.	1893/A.11
F.D. 2866/46 It. 11	Testing the polyglycol ethers of multivalent alcohols as lubricants.	1893/A.13
F.D. 2866/46 It. 12	Minimum and optimum fuel quantity for the Ring Process on the Jumo Cylinder 211A.	1893/A.14
F.D. 2866/46 It. 17	Comparative tests with Aero-engine lubricants mixtures A. F.	1893/A.21
F.D. 2866/46 It. 18	Testing of the lubricating quality of R 200 and R 300.	1893/A.22
F.D. 2866/46 It. 19	Note on testing the knock behaviour of fuels in a small test engine.	1893/A.23
F.D. 2866/46 It. 27	Investigation of lubricants in the I.G. -Kälteschrank.	1893/A.32

T.O.M. Reel 248

<u>Document Number</u>	<u>Title</u>	<u>CIOS Reference No.</u>
F.D. 2866/46 It. 31	Tests with the Ring Process at different compression ratios.	1893/A.35
F.D. 2866/46 It. 32	Technical tests on lubricating oils.	1893/A.36
F.D. 2866/46 It. 35	The Ring Process.	1893/A.38
F.D. 2866/46 It. 36	Peak Pressures in the Ring Process.	1893/A.39
F.D. 2866/46 It. 37	On an electric instrument for the acoustical or optical determination of the incidence of knock.	1893/A.40
F.D. 2866/46 It. 38	The Use of the I.G. Test-engine for lubricant testing.	1893/A.41
F.D. 2866/46 It. 39	Experiences with ring sticking tests on lubricants.	1893/A.43
F.D. 2866/46 It. 44	Apparatus for measuring the lubricating properties with limiting friction.	1893/A.50
F.D. 2866/46 It. 45	The behaviour of starting fuels in Diesel engines when injected into the induction pipe.	1893/A.51
F.D. 2866/46 It. 49	Testing lubricants by measuring wear.	1893/A.56
F.D. 2866/46 It. 62	Lubricant testing in small-scale apparatus.	1893/A.70
F.D. 2866/46 It. 66	Use of precombustion chamber in the Ring Process.	1893/A.74

T.O.M. Reel 248

<u>Document Number</u>	<u>Title</u>	<u>CIOS Reference No.</u>
F.D. 2866/46 It. 67	An apparatus used to determine metallic abrasion during lubrication.	1893/A.75
F.D. 2866/46 It. 73	Testing of lubricants by measurement of wear.	1893/A.82
F.D. 2866/46 It. 82	The Falex Oil Testing Apparatus a comparison with the "Four Ball" and Almen-Wieland machine.	1893/A.91
F.D. 2866/46 It. 84	Nitro-paraffins as fuels.	1893/A.93
F.D. 2866/46 It. 86	Testing of eleven aviation oils.	1893/A.95
F.D. 2866/46 It. 88	Investigation of the pumpability of oils.	1893/A.97
F.D. 2866/46 It. 90	Wear and friction tests.	1893/A.99
F.D. 2866/46 It. 92	Octane number determination by the Oppau method.	1893/A.104
F.D. 2867/46 It. 12	Influence of sulphur compounds on the anti-knock value and the residue formation of leaded fuel.	1893/B.24
F.D. 2867/46 It. 27	Small super-charged engines developed on the principle of the DVL super-charge process in the BMW 132 N-single cylinder.	1893/B44
F.D. 2867/46 It. 53	Effect of the cetane number of Diesel fuels on the starting behavior.	1893/B.70
F.D. 2867/46 It. 71	Investigations on the anti-corrosion substance Ho 1/136 Na.	1893/B.88

T.O.M. Reel 248

<u>Document Number</u>	<u>Title</u>	<u>CIOŠ Reference No.</u>
F.D. 2867/46 It. 72	Oppanol as an additive for winter motor oils.	1893/B.89
F.D. 2867/46 It. 77	Test of an anti-corrosion substance for fuel tanks.	1893/B.95
F.D. 2867/46 It. 83	Super-charge testing of aviation fuels under full size engine conditions.	1893/B.102
F.D. 2867/46 It. 95	Short Report No. 412 on gasoline-water-emulsions.	1893/B.119
F.D. 2868/46 It. 82	The influence of decreasing setting point on Diesel oils.	1893/C.85
F.D. 2869/46 It. 6	On the adsorption of dissolved dipolar molecules on solid metals.	1893/D.2 pt.
F.D. 2869/46 It. 15	Tests on a four-ball oil test machine.	1893/E.5
F.D. 2869/46 It. 16	Measurement of coefficient of friction by means of the PTR instrument.	1893/E.6
F.D. 2869/46 It. 29	The estimation of lubricating ability by means of engine tests.	1893/F.12
F.D. 2869/46 It. 31	Detection and determination of products of Ageing of lead tetra-ethyl in fuels.	1893/F.14
F.D. 2869/46 It. 36	The influence of working conditions on piston temperature.	1893/F.18
F.D. 2869/46 It. 73	The examination of two oils with synthetic fatty additives for suitability for use in aero-engines.	1893/H.11

T.O.M. Reel 248

<u>Document Number</u>	<u>Title</u>	<u>CIOS Reference No.</u>
F.D. 2869/46 It. 74	The testing of lubricants in the BMW 132 single cylinder engine.	1893/H.21
F.D. 2870/46 It. 8	Experiments with two samples of Diesel fuel, Nos. 181 and 182 from Dr. Montfort, High Pressure Research, Ludwigs-hafen.	1893/I.18
F.D. 2870/46 It. 85	Investigation of suitability of IGENIL as a bearing material.	1893/I.90
F.D. 2870/46 It. 96	Experiments with aero-engine oils in the BMW engine.	1893/I.103
F.D. 2871/46 It. 23	Minutes of the meeting of the Special Committee on the Standardisation of Engine Tests on Diesel Fuels of the DVM 14 and 15 April 1942.	1893/I.136
F.D. 2871/46 It. 43	Thermo-electric method for comparative tests of lubricants in a state of boundary lubrication.	1893/N.15 pt.
F.D. 2871/46 It. 62	New facts on lubrication.	1893/N.15 pt.
F.D. 2871/46 It. 63	Sliding tests on metals in boundary lubricants.	1893/N.15 pt.
F.D. 2871/46 It. 69	I.G. patent specifications 10.7.43 lubrication of internal combustion engines.	1893/Q.9
F.D. 2871/46 It. 71	Contribution on non-hydrodynamic lubrication.	1893/Q.11
F.D. 2871/46 It. 90	Test with R-fuels.	1893/Q.35

T.O.M. Reel 248

<u>Document Number</u>	<u>Title</u>	<u>CIOS Reference No.</u>
F.D. 2872/46 It. 3	Single cylinder tests with internal cooling.	1893/U.5 pt.
F.D. 2872/46 It. 5	Basic problems in the use of O ₂ carriers.	1893/U.5 pt.
F.D. 2872/46 It. 6	Experimental results with GM in aero-engines.	1893/U.5 pt.
F.D. 2872/46 It. 7	The Ring Process.	1893/U.5 pt.
F.D. 2872/46 It. 8	The Ring Process in the BMW 323 aero engine.	1893/U.5 pt.
F.D. 2872/46 It. 9	Problems of the Ring Process.	1893/U.5 pt.
F.D. 2872/46 It. 10	Operating engines on safety fuels.	1893/U.5 pt.
F.D. 2872/46 It. 11	Tests with safety fuels.	1893/U.5 pt.
F.D. 2872/46 It. 12	Behaviour of safety fuels in firing tests.	1893/U.5 pt.
F.D. 2872/46 It. 14	Work carried out at Oppau on I.G. Research Engine.	1893/U.7
F.D. 2872/46 It. 17	Correlation of fuel research and supply problems.	1893/U.10
F.D. 2872/46 It. 20	The gasoline diesel engine.	1893/U.13
F.D. 2872/46 It. 40	Aviation work at Oppau.	1893/X.9
F.D. 2872/46 It. 48	Report on conference on Lube. Oil testing in the BMW 132 N. Single cylinder motor.	1893/Z.5
F.D. 2872/46 It. 49	Effect of peroxide in engines and its determination.	3966/S.A.1.

T.O.M. Reel 248

<u>Document Number</u>	<u>Title</u>	<u>CIOS Reference No.</u>
F.D. 2872/46 It. 50	Effect of aldehyde in engines and its quantitative determination.	3966/S.A.2
F.D. 2872/46 It. 52	FKFS Process for determining bromine in fuels.	3966/S.A.4
F.D. 2872/46 It. 66	Investigations into the development of the spontaneous ignition operation of mixture compression engines.	3966/S.C.4
F.D. 2872/46 It. 73	Additives to improve oil.	3966/S.C.13
F.D. 2872/46 It. 75	Instrument for the measurement of ignition delay (Pattern 1943).	3966/S.D.2
F.D. 2872/46 It. 88	New method of evaluating power of oils and greases.	3966/S.F.3
F.D. 2872/46 It. 89	Method for determining technical value of lubricants.	3966/S.F.4
F.D. 2872/46 It. 94	Ignition accelerators for diesel fuels.	3966/S.F.9
F.D. 2872/46 It. 99	Tests on a carburetor engine with self-ignition.	3966/S.G.2
F.D. 2873/46 It. 7	Investigation of laboratory methods for the determination of the lead content of fuels (pt. only).	3996/SH4 Vol. 11 pp. 141-148
F.D. 2873/46 It. 7	Determination of "I-T" and its ageing products in aero-engine fuels.	3996/SH4 Vol. 11 pp. 149-155

T.O.M. Reel 248

<u>Document Number</u>	<u>Title</u>	<u>CIOS Reference No.</u>
F.D. 2873/46 It. 7	Testing lubricating oils by friction and wear tests on engines.	3996/SH4 Vol. 11 pp. 156-161
F.D. 2873/46 It. 7	Supervision of piston temperature during endurance testing.	3996/SH4 Vol. 11 pp. 162-169
F.D. 2873/46 It. 7	Laboratory method for testing the ageing of lubricating oils.	3996/SH4 Vol. 11 pp. 170-178
F.D. 2873/46 It. 7	The quantitative determination of the composition of liquids (mixtures of several components), based on their selective absorption in the infra-red spectral region.	3996/SH4 Vol. 11 pp. 179-187
F.D. 2873/46 It. 8	Recent experiments on self-ignition of fuels under adiabatic compression.	3996/S.H.5 pp. 2-10
F.D. 2873/46 It. 8	The application to engine conditions of laboratory experiments on self-ignition of fuels.	3996/S.H.5 pp. 11-18
F.D. 2873/46 It. 8	Discussion.	3996/S.H.5 pp. 19-27
F.D. 2873/46 It. 8	Pre-reactions in gasoline engines without ignition.	3996/S.H.5 pp. 28-55
F.D. 2873/46 It. 8	Investigations on the reaction kinetics of the oxidation of n- and i-paraffins.	3996/S.H.5 pp. 56-71
F.D. 2873/46 It. 8	Discussion.	3996/S.H.5 pp. 72-77

T.O.M. Reel 248

<u>Document Number</u>	<u>Title</u>	<u>CIOS Reference No.</u>
F.D. 2873/46 It. 8	New tests for the determination of individual factors affecting engine knocking.	3996/S.H.5. pp. 77-89
F.D. 2873/46 It. 8	Discussion.	3996/S.H.5. pp. 89-91
F.D. 2873/46 It. 8	Adiabatic change of state in dissociating gases and the method of sound dispersion for the study of very rapid, homogeneous gas reactions.	3996/S.H.5 pp. 91-109
F.D. 2873/46 It. 8	Discussion.	3996/S.H.5. pp. 109-112
F.D. 2873/46 It. 8	The physico-chemical problem of the engine ignition of gas mixtures. Self-ignition and knocking.	3996/S.H.5. pp. 112-127
F.D. 2873/46 It. 8	Measurement of the ignition velocity of flowing gas-air mixtures.	3996/S.H.5 pp. 127-141
F.D. 2873/46 It. 8	Discussion.	3996/S.H.5 pp. 141-151
F.D. 2873/46 It. 13	FKFS Report Letters Nos. 953/1, 2 and 3 22.5.41. Experiments with GM1 on the DB 601 F engine.	3996/S.J.4.
F.D. 2877/46 It. 57	The preparation of phosphorus compounds and their use in lubricants.	3996/S.J.9.

T.O.M. Reel 248

<u>Document Number</u>	<u>Title</u>	<u>CIOS Reference No.</u>
F.D. 2873/46 It. 24	Research work on the production of valuable lubricants from crude oil from home sources, carried out on behalf of the Ministry of Transport	3996/S.K.6.
F.D. 2873/46 It. 62	Technical specification for Fuel F2.	3996/1.
F.D. 2873/46 It. 63	Specification for Aviation Fuels B4 and C3.	3996/1a
F.D. 2873/46 It. 64	Provisional specification for jet fuel J2 and running-in fuel Einlauf J2.	3996/2
F.D. 2873/46 It. 65	Specification for Aero Diesel Fuel K1.	3996/2a
F.D. 2873/46 It. 66	Specification for aviation fuel A3.	3996/3
F.D. 2873/46 It. 67	Freezing properties of A.3 and B.4.	3996/4
F.D. 2873/46 It. 68	Carburettor fuels delivery specifications.	3996/5 pt.
F.D. 2873/46 It. 69	Specification for carburettor and diesel fuels for delivery to the services (Summer 1944).	3996-6
F.D. 2873/46 It. 70	Tech. delivery specifications for aviation fuels A3 and B4 and their constituents.	3996-7
F.D. 2873/46 It. 73	Tech. Instruction 7/44	3996-10
F.D. 2873/46 It. 74	Tech. Instruction 6/44	3996-11

T.O.M. Reels 248

<u>Document Number</u>	<u>Title</u>	<u>CIOS Reference No.</u>
F.D. 2873/46 It. 75	Tech. specifications for aviation oils S3, its components, and V2.	3996-12
F.D. 2873/46 It. 77	Tech. delivery specifications for aero-engine fuels for active service use.	3996-14
F.D. 2873/46 It. 78	Provisional tech. delivery specifications for Army gear and engine oil.	3996-15