

INDEX - MICROFILM REEL 257 -
(Original designation BM-43)

<u>TRANSL.</u> <u>NO.</u>		<u>FRAMES</u>
257	Incubation temperature	476-477b
260	Solubility of 700 atm. gas in liquid phase.	478-485c
252	Liquid phase operations at Pölitz.	486-490e
255	Caviar formation theory.	491-495d
226	Letdown heat exchange.	496-523c
241	Centrifuging of tars, liquid phase letdowns.	524-528d
210	Experiences with preheaters.	529-530e
358	Velocities in high pressure converters.	531-535c
357	Sulfur situation in hydro plants.	536-562m
387	Bituminous coal hydrogenation to aviation gasoline with hydrogenation of tar obtained.	563-578n
386	Gas hydrates.	579-592g
354	Saving Mo in liquid phase.	593-595b
381	Results of hydrogenation of upper Silesian coal in rotating autoclaves.	596-598b
360	Topping of H.O.L.D. and centrifuge residue.	599-610e
361	Production of briquettes using H.O.L.D. residue as binder.	611-621l
365	Liquid phase operation discussion.	622-625c
366	Comparison of pitches and asphalts.	626-626a
389	Equilibria for reduction of NH_4HSO_4 and CaSO_4 in the liquid phase converter.	627-628b

T.O.M. Reel 257

<u>TRANSL.</u> <u>NO.</u>		<u>FRAMES</u>
362	Preheater outlet temperatures.	629-630b
234	Temperature - contact time diagram.	631-636d
238	Temperature changes in coal stall.	637-642f
242	Temperature measurement in preheater outlets.	643-646d
294	Accuracy of material balance in 10 liter converter runs.	647-653e
300	Experimental mixing of paste.	654-673a
313	Three papers on gas hydrates.	674-712r
<u>XIX. Mechanical Data.</u>		
326	Bellows lenses.	713-714a
325	Turbo-compressors in hydro plants.	715-729m
304	Recoil of high pressure line due to a break.	730-732c
230	Inner insulation of high pressure converters.	733-737c
233	Wear-resisting return bends.	738-742d
229	Temperature of bolts and flanges in relation to product temperature.	743-744b
228	Test of 120 mm. flange at 325 atm.	745-748d
245	Experiences with bellows lenses.	749-750c
244	Check-valves with drop-shaped disk.	751-752b
382	Report on using smaller number of plates in the laval centrifuge.	753-755c
232	Three papers on hardened plungers and piston rods.	756-760d

<u>TRANSL.</u> <u>NO.</u>		<u>FRAMES</u>
237	Leaky paste pump valves.	761-769i
243	Hot tightening up of a stall.	770-771b
290	Flow resistance in tubular converter.	772-775d
	<u>XXI. Physical Data and Phenomena, Etc.</u>	
370	Aromatics - naphthene equilibria.	776-779d
267	Isomeric aromatic hydrocarbons.	780-784d
391	Theory of formation of higher hydrocarbons from CH_4 in presence of sulfur and sulfur compounds.	785-790e
	<u>XXII. Properties of Materials.</u>	
344	Quality of hydrogenation coal.	791-795d
388	Quality data of auto gasoline from various raw materials.	796-801d
368	Vapor pressure and C_5 content for mixtures of light and aromatic gasoline.	802-804c
324	Properties of hydro products from different raw material.	805-815h
398	Properties and breaking down of asphalts.	816-819e
	<u>XXIII. Safety.</u>	
340	Steps taken as a result of the accidents at Politz.	820-821b
307	Emergency expansion in hydrogenation stalls.	822-828g
239	Experiences with runaway converters.	829-840n
235	Safety in construction of hydrogenation stalls.	841-851d

T.O.M. Reel 257-

<u>TRANSL.</u> <u>NO.</u>		<u>FRAMES</u>
268	Precautions against explosions in air separation plants.	852-863k
	<u>XXVI. Vapor Phase Hydrogenation.</u>	
338	Gasification in aromatization.	864-866c.
322	Influence of size and density of 5058 tablets on splitting and saturation.	867-878k
308	Butane and isobutane content of the gasification in splitting and aromatization over fuller's earth catalysts.	879-880b
236	Preparation of tungsten sulfide catalysts.	881-882b
246	Washing gasoline, hy-gas, and LPG and flushing in liquid phase.	883-885a
359	Use of Mo and W catalysts for high pressure hydrogenation chronology.	886-893f
355	Using 700 atm. vapor phase for Blechhammer extension II.	894-899d
363	Aromatization of bituminous coal hydrogenation middle oil, the acid constituents therefrom, and residual oil over alumina-fullers' earth catalyst of the 8688 type.	904-908c
384	Splitting of B products.	900-903 909-915k
367	700 vs 300 atm.	916-919d
369	Literature on WS ₂ catalyst.	920-921b
345	A numerical expression for splitting activity of catalyst.	922-925d

TRANSL.
NO.

FRAMES

347	WS ₂ free splitting catalysts.	926-933f
353-1	Effect of nitrogen content on splitting properties. Two papers.	934-936d
353-2		937-947j
<u>XXVII. Various Organic Processes.</u>		
342	Phenol recovery with liquid NH ₃ .	948-949a
314	Laboratory experiments on coronen.	950-955e